
NORTHERN DIVER

COMMERCIAL SUITS & EQUIPMENT








Welcome to Northern Diver Commercial

For over 40 years, Northern Diver has been at the forefront of designing and manufacturing innovative diving equipment for the commercial sector. From cutting-edge drysuits and bespoke solutions to an extensive range of professional diving gear, our products are trusted by divers and organisations worldwide. Every item we create is a testament to our commitment to quality, safety, and performance, developed in collaboration with industry professionals and rigorously tested to meet the highest standards. Dive into this brochure to discover how we can support your commercial diving needs with exceptional equipment and service.

- 004 Introduction to Northern Diver
- 006 Odyssey Full Face Mask
- 008 Neoprene Drysuits
- 010 Tri-laminate Drysuits
- 012 Boating & Surface Suits
- 014 Contaminated Water Diving System
- 018 Recovery Vests
- 020 Bell Safety Harnesses
- 022 Hotwater Suit System
- 026 Suit Accessories
- 028 Heated Garments
- 032 Thermals
- 038 Commercial Wetsuits & Accessories
- 043 Neoprene Waders
- 044 Commercial Cuff Systems, Mitts & 5-Finger Gloves
- 049 Neoprene Dive Hoods
- 050 In-water boots
- 052 Holdalls, Dry Bags & Waterproof Cases
- 057 Deep Sea Dive Helmets
- 058 Full Face Masks & Accessories
- 062 Half Face Masks, Snorkels & Fins
- 064 Gauges
- 066 Underwater Lighting
- 070 Blunt & Sharp Tip Knives
- 072 Dive Weights
- 073 Cylinders & Accessories
- 076 Test Equipment
- 077 Diver Communications
- 078 Coltri Compressors
- 081 Chambers & Air distribution Panels
- 082 LARS Launch & Recovery System
- 084 Underwater Tools
- 086 Safety Helmets
- 087 Medical Kits/Bags
- 091 Inflatable Boats & Accessories
- 100 Repairs & Alterations Services
- 101 Bespoke Drysuits
- 102 Cylinder Servicing Centre
- 104 Diving Test Tank Facility
- 106 Customise Your Diving Kit







Over 40 Years of Expertise in Diving Innovation

With over four decades of experience in designing and manufacturing drysuits and diving products, we lead the way in innovation for the commercial diving industry. By combining cutting-edge designs with advanced technology, we deliver superior solutions for professional divers. Whether you require a custom-tailored drysuit or prefer one from our extensive off-thepeg size range, our made-to-measure service ensures a perfect fit for your needs.

Collaborating with Industry Professionals

Our comprehensive range of commercial diving equipment has been developed in partnership with seasoned divers and leading organisations. By incorporating real-world insights and feedback, we create products that meet the demanding standards of professional use.

Global Reach and Exceptional Customer Service

Supplying commercial diving operations and organisations worldwide, we are committed to delivering top-quality equipment alongside outstanding customer service.

State-of-the-Art Facilities

Our 63,000 sq ft facility, based in the North West of England, supports our diverse operations. With a team of 60 specialists, we offer expertise across multiple departments, including:

- Engineering Facility
- R&D Department
- Cylinder Test Centre
- Assembly Workshop
- Bonded Warehouse
- Non-Magnetic Storage Facility
- Repairs & Alterations Factory
- Manufacturing and Production







- Sales Showroom
- Creative and Marketing
- Accounts and Purchasing
- Logistics and Dispatch
- 22.5*4m Diving Test Tank

Innovation and Growth

Our world-class technology and engineering centre drives the development, manufacture, and testing of our extensive product range.

In-House Capabilities

Our facility is equipped with cuttingedge resources, enhancing our ability to design and produce premium diving products:

- Respiratory Simulator Machine
- Oxygen Clean Assembly Room
- Non-Magnetic Range
- Pressure Chambers
- Calibration Desks
- 3D Printers
- Laser Cutting Machines
- Mills and Lathes
- Print and Branding Machines
- Pattern Cutting Technology

Quality You Can Trust

As an ISO 9001-certified company, we ensure all our products are CE certified and rigorously tested to meet relevant standards.

Contact our Commercial Sales Team for enquiries or to book a visit:

Neil Tordoff

Phone: +44 (0) 1257 25 69 49 Mobile: +44 (0) 7872 061 533 Email: neil@ndiver.com

Mateusz Domoradzki

Phone: +44 (0) 1257 82 68 53 Mobile: +44 (0) 7538 989 115 Email: mateusz@ndiver.com

Visit: www.ndiver-commercial.com Follow on socials: @NorthernDiverUK






We have developed a complete, integrated breathing system designed to provide a safer, more reliable solution for diving operations. Streamlined and user-friendly, this system reduces clutter and improves operational efficiency, offering enhanced reliability over existing solutions.

KEY BENEFITS

Reduces risk - streamlined design minimizes equipment failure and operational hazards. Improves safety - enhanced features offer greater control and monitoring during dives. Improves reliability - built to withstand demanding environments, ensuring consistent performance. Interoperable - seamlessly integrates with existing diving equipment.





Designed to comply with EN250 standards.



Designed, manufactured and tested in the UK.



Every serviceable component is fully replaceable.



Seamless gas management, low profile shape - less snag hazards.



ODYSSEY FULL FACE DIVING MASK

A precision-engineered solution, designed with safety and reliability as its foundation. Each component is manufactured to exacting standards to ensure optimal performance and protection in the most demanding environments. From the impact-resistant polycarbonate lens to the precision-machined side block, every feature has been rigorously tested to meet and exceed industry safety requirements while maintaining comfort and field of vision.

Northern Diver's dedication to precision engineering and innovation ensures the Odyssey Full Face Mask delivers unmatched safety, reliability, and performance.

TECH SPEC

Designed for all water environments

Venturi lever: yes, easy to locate and use

Silicone exhaust valve to improve breathing performance

Double seal and low volume oral nasal cavity fits most faces

Customisable nose block to aid in equalization

Communications port for easy installation of communication equipment

Second stage: pneumatically balanced

Exhaust: single side system with air overflow technology Heat exchanger for cold water performance: twin heat system Breathing performance: 2.3 joules/liter @50M 4° water BPM 62.5lm

Hose type: two braided flexi-hose

Weight: 1.4kg (3. 1lbs)



SIDE BLOCK

Strategically positioned on the face area for easy, single-handed operation, even in zero visibility conditions. This innovative design allows the diver to guickly open the side block valve without fumbling, enhancing safety and efficiency during critical dives. Weighing less than half the weight of competitor models, the side block is machined from a solid billet, eliminating potential leak paths. Manufactured to the highest standards and CE approved.

TECH SPEC

Depth rating: 0-50 metres

Breathable air: for use with compressed breathable air complying with EN12021

Cold water performance: <10°C

Storage: -30°C to +70°C

L*W*D: 68.5*60*44.5mm, weight: 23kg

Housing: brass CZ121 with a chrome plated finish Spring: 316 stainless steel and NBR Acetal O-rings

Main flow via first stage: >150m3/hr @ 10bar outlet/50 bar inlet Bail flow via first stage: >150m3/hr @ 10bar outlet/50 bar inlet



LAWS (Low Air Warning System)

The system features a cutting-edge wireless RF design, eliminating hard wiring and snag hazards. This enhances diver safety, mobility, and reliability, ensuring optimal performance in challenging underwater conditions.

HEAD MOUNT - RECEIVER

Light system ensures visibility without obstructing the field of vision

Red (main): flashing @50 bar

Green (low): good to go, or green (high flashing): low battery


White (bailout): flashing @170 bar

Compatible with Odyssey, Interspiro, and OTS masks via bracket mounts. Features a push on/off button, magnetic charging cable (charge in situ), and a rechargeable lithium-ion cell with a 4-5 day runtime. Fully charges in 2 hours.

PRESSURE SENSORS - TRANSMITTER

Reliable and robust, our Bluetooth sensor fits all H.P. first stage regulators with a 7/16x20UNF thread. Powered by a user-replaceable 3V CR123A battery, it offers a 1-year lifespan (100 dives/year). Replacement kits available.

LAWS is also available mounted onto a half face mask - see page 62



COMMERCIAL GRADE NEOPRENE DRYSUITS





CODE: ORIGINCG-SIZE

Fabric build: 6.5mm neoprene
Liquid taped outer seams
Rear entry BDM metal dry zip (heavy duty)
Neck and wrist seals: neoprene or latex
Inflation/exhaust valves: standard positions
2x transporter pockets (zipped closure)
Kevlar® shoulders/elbows and knee protection
Overprinted seat area for extra protection
Rugged hardsole boots

STOCK SIZES: S, M, ML, MLT, L, LR, LT, XL, XLR, XLT, XXL, XXXL (UNISEX)

COLOURS: BLK | MTM SERVICE: YES




DIVEMASTER COMMERCIAL DRYSUIT

CODE: DIVE-COM-SIZE

Fabric build: 5.5mm neoprene
Liquid taped outer seams
Rear entry BDM metal dry zip (heavy duty)
Neoprene neck and wrist seals
Inflation/exhaust valves: standard positions
1x transporter pocket (zipped closure)
1x bellows pocket (Velcro closure)
Rugged shoulders, Kevlar® knee and overprinted seat areas
Rugged hardsole boots

STOCK SIZES: S, M, ML, MLR, MLT, MR, L, LR, LT, XL, XLR, XLT, XXL, XXLR, XXLT, XXXL, XXXLR (UNISEX)

COLOURS: BLK | MTM SERVICE: YES



COMMERCIAL GRADE TRI-LAMINATE DRYSUITS





CODE: CORTEX RED EDITION SIZE

Fabric build: 450D Cortex tri-laminate
Rear entry BDM metal dry zip (medium duty)
Neoprene neck and wrist seals
Anti-slip overprint around cuffs for securing wrist wear

Inflation/exhaust valves: standard positions

2x transporter pockets (zipped closure) Integrated knife pocket

Kevlar® knee/seat protection Red piping detail

Rugged hardsole boots

STOCK SIZES: S, M, ML, MR, MLR, MLT, L, LR, LT, XL, XLR, XLT, XXL, XXLR, XXXLR (UNISEX)

COLOURS: BLK/RED | MTM SERVICE: YES



HID DRYSUIT

CODE: HID-SIZE

Fabric build: 450D Aquatex tri-lamiinate
Front entry BDM metal dry zip (medium duty)
Neoprene neck seal with neoprene neck warmer
Latex wrist seals and anti-slip equipment anchors on cuffs
Inflation/exhaust valves: standard positions
1x Flexi-Light stick arm pocket
1x transporter pocket (zipped closure) with knife holder
1x bellows pocket (Velcro closure)
Kevlar® knee/seat protection
Rugged hardsole boots

STOCK SIZES: S, M, ML, MR, MLR, L, LR, XL, XLR, XXL, XXLR, XXL (UNISEX)

COLOURS: BLK | MTM SERVICE: YES



BOATING/SURFACE SUITS



BOATING OPERATIONS SUIT

CODE: BOATING-OPS-MTM

Fabric build: 320D embratex breathable tri-laminate Front entry YKK® Aquaseal® plastic dry zip

Neoprene neck and wrist seals

Fleece lined collar with integrated high vis hood

Cuff protectors (Velcro closure)

2x zipped fully dry arm pockets

4x bellows arm/leg pockets (Velcro closure)

YKK® Aquaseal® plastic dry fly zip

Kevlar® knee/seat protection

Adjustable ankle protectors (Velcro/zip closure)

Breathable socks

STOCK SIZES: NONE

COLOURS: NAVY, BLK | MTM SERVICE: YES



SF5 SURFACE SUIT

CODE: F5-375D-FE-SIZE

Fabric build: 375D tri-laminate

Front entry medium duty BDM metal dry zip

Neoprene neck and wrist seals

360° reflective banding on arms and legs

Reflective piping built into selected suit seams

1x Flexi-Light stick arm pocket

1x bellows leg pocket (Velcro closure)


Double layer knee/seat protection

Elasticated ankle gaitors Heavy duty latex socks

Custom branding available upon request

STOCK SIZES: S, M, ML, L, XL, XXL, XXXL (UNISEX)

COLOURS: RED/BLK or YELL/BLK | MTM SERVICE: YES





FN 14225-2:2017 Certified

1600G THOR DRYSUIT CONTAMINATED WATERS SPECIALIST RUBBER DIVING

CODE: 1600-THOR-SIZE

A specialised drysuit designed to provide unparalleled protection for divers working in highly contaminated water environments, such as those encountered in industrial, chemical, or hazardous conditions. This suit is particularly suited for situations where exposure to pollutants, toxins, or other harmful substances is a significant concern.

Styles available: 1600g

Fabric build: Vulcanised laminated polymer sheets, polyester, high-grade rubber and EPDM which gives excellent strength, protection, durability and

chemical resistance

Rear entry BDM metal dry zip (heavy duty)

Latex neck and wrist seals

Commercial grade inflation/exhaust valves Reflective strips located on upper arms

Safety boots

STOCK SIZES: S, M, L, XL, XXL (UNISEX)

COLOURS: RED, BLK

MTM SERVICE: NO



Credit: @southerndivers38



THOR COMPATIBLE SPARE PARTS

All the spare parts listed can be bought as separate items or bought and fitted by Northern Diver's experienced repair and alterations department. For information on fitting prices for the Thor spare parts contact the team.



BEANIE HOOD

CODE: THOR-BEANIE-SIZE SIZES: L, XL



INFLATION VALVE CODE: VALVE-ND-INFLATOR-CEJN SIZE: 80*80*45mm (3.1*3.1*1.8")



MUSHROOM EXHAUST VALVE

CODE: VALVE-ND-EXHAUST-COMM SIZE: 85*85*35mm (3.3*3.3*1.4")



LOCKING CUFF DUMP

CODE: ND0000878 SIZE: 60*60*30mm (2.4*2.4*1.2")



DRY GLOVE RING SYSTEM


CODE: GLDRY-SYSTEM-V4-SIZE SIZE: S, M, L, XL



CUFF SYSTEM GLOVES

CODE: CUFF RING-GLOVE-SIZE

SIZE: M, L, XL



Credits: @millerlow_life (top), @victor_valenzuela_p (middle), @victor_valenzuela_p (bottom)



DESCO NECK YOKE Code: Neck dam desco Size: One



KM NECK YOKE

CODE: NECK DAM-KM

SIZE: to fit KMB17C and newer



CUFF SYSTEM W/SEALS

CODE: CUFF RING + CUFF RING
-LATEX SIZE + CUFF RING-O RING

SIZE: M, L, XL



LATEX WRIST SEALS CODE: SEAL-W-STYLE-SIZE SIZE: S, M, L, XL



RUBBER BOOTS

CODE: THOR-SOFT-BOOT-SIZE

SIZE: UK 7-12



SAFETY BOOTS

CODE: THOR-BOOT-SIZE

SIZE: UK 7-12



LEAD INSOLES

CODE: LEAD-INSOLES

SIZE: 2.6kg (5.7lbs) ea

Ergonomically designed underwater safety boots, offering chemical and biological penetration protection, plus added impact and sharps penetration resistance. 1 EPDM rubber mix pique lining 2 Extra EPDM rubber layer 3 Neoprene insulation 4 Composite toecap 5 Rubber sole 6 Flexible stainless steel mid-sole foil 7 EPDM rubber mix





EN 15333-1:2008 Certified

RECOVERY VEST (RVEST)

CODE: R-VEST B/P or R-VEST B/P XL

Our R-VEST combines a recovery harness, cylinder attachment, quick-release weight belt and work vest with tool attachment points into one body-hugging unit. Can be used to lift an unconscious diver from the water.

Tested in accordance with ADCI guidelines Built from ultra-durable materials, ensures a long product life without compromising on comfort Sea-water resistant

Each of the 9 D-rings has been independently tested to a breaking strength of 1000kg

Each lifting point (and the adjustment buckles) can withstand a tensile force of 9,000N

Has lifting points on both the back and front

Quick release sat bag for tools

Quick release weight pockets

Loop for carrying hammer

Backpack with cam band for attaching cylinders Adjustable waist and crotch straps 316 Stainless Steel Marine Grade fittings

SIZE: STD (91cm - 116cm | 36" - 46"), XL (121cm - 162cm | 48" - 64")

RECOVERY VEST ACCESSORIES



COMMERCIAL TOOL BAG

CODE: SAT BAG - ND

Fabric build: PVC Tarpaulin Strong & sturdy zips Drainage eyelets

2x compartments, the main for large tools the smaller front compartment for all those smaller awkward tools D-rings for attaching items that may float away

Large stainless steel D-rings for securing carabiners on the outer side of tool bag

Julei Side di todi baç

SIZE: ONE, 29*19*6cm (11.4*7.5*2.4")



R-VEST WEIGHT POCKET (SPARES)

CODE: R-VEST POCKETS

Fabric build: 50mm (2") wide webbing

Fitted with a set of 3 weight pouches that are connected to each other by their material backing and attached onto a flexible plastic rod

The plastic rod enables quick-release if a diver is in trouble Pouches are designed to carry plastic coated lead blocks to aid buoyancy control as you would with a weight belt or weight and trim harness

SIZE: ONE







EN 15333-1:2008 Certified

BELL SAFETY HARNESS

CODE: COMMERCIAL DIVING BELL HARNESS or COMMERCIAL BELL HARNESS-SMALL

Can be used to lift an unconscious diver from the water Has lifting points on both the back and front Each lifting point (and the adjustment buckles) can withstand a tensile force of 1000kg Stainless steel slide lock adjustment buckles (qty 6) Certified diver recover lifting points - special triangular shaped stainless steel d-rings (qty 5) UK and USA umbilical D-rings Approved stainless steel equipment d-rings (qty 4) Highly visible 50mm (2") heavy duty webbing build Easily adjustable shoulders, chest, waistband and leg straps are all secured with hook and loop Velcro so there is no risk of snag hazards Manufactured and tested to IMCA's guidelines Reinforced red stitched areas provides additional strength and is easily identifiable for inspections

SIZE: Small, chest 91-116cm(36-46") or Standard, chest 121-162cm (48-64")

EN 15333-1:2008 Certified

BELL SAFETY HARNESS W/BACKPACK

CODE: COMMERCIAL HARNESS B/P

Can withstand a tensile force of 1000kg Heavy duty harness designed for use by commercial divers operating from a diving bell Can lift an unconscious diver from the water Built with integrated heavy-duty back plate (can be fitted with twin cylinders, if twin bands are purchased) Very comfortable worn with or without cylinders Stainless steel slide lock adjustment buckles (qty 6) Certified diver recover lifting points - special triangular shaped stainless steel d-rings (qty 5) UK and USA umbilical D-rings Approved stainless steel equipment d-rings (qty 4) High vis 50mm wide heavy duty, durable webbing build Easy adjust shoulders, chest, waistband and leg straps Straps are secured with Velcro so no risk of snagging Manufactured and tested to IMCA's guidelines Reinforced red stitched areas provide additional strength and is easily identifiable for inspections

SIZE: ONE adjustable









HOTWATER UNDERSUIT

CODE: HWS-WETSUIT-SIZE

A multi-purpse item that can be used as an undersuit providing an additional layer of thermal protection for colder dives or as a wetsuit in warmer climates

Fabric build: 3.0mm 4-way superstretch neoprene

Finished with an anti Velcro lining

Triple glued and blind stitched seams

Front entry YKK® plastic zip Velcro closing collar

Ndiver printed branding

STOCK SIZES: S, M, L, XL, XXL (UNISEX)

COLOURS: BLK | MTM SERVICE: NO

Credits: @alexistsierra (top), @divesafe_international (middle),

@hdstunts & OTECH (bottom)

HOTWATER SYSTEM COMPATIBLE SPARE PARTS



GAUNTLET KEVLAR® GLOVE

CODE: GLM-GAUNTLET-KEVLAR-SIZE

5.0mm neoprene with reinforced Kevlar® palm and finger tips
Plush inner lining
Liquid taping and over printed panels on finger tips
50*50mm (2*2") hook Velcro panel fitted inside gloves

SIZE: M, L, XL, XXL



HOT GRABBER GLOVE

CODE: GL HOT GRABBER SIZE

EN420, EN388, EN374
Cut resistant and hard wearing
Excellent resistance to abrasion
Resistance to chemicals, acids, alkalis, cutting
oils and petrol
Neoprene cuff with adjustable Velcro strap to
reduce flushing

SIZE: M, L, XL



HOTWATER BOOT

CODE: BOOT-HOTWATER-SIZE

5.0mm neoprene
Drain holes on inner side of boots
50*50mm (2*2") hook Velcro panels fitted
inside boots (x2)
Flexible rubber sole

SIZE: S (UK 7-8), M (UK 9-10), L (UK 10-11), XL (UK 11-12), XXL (UK 12-13)



HOTWATER SERVICE KIT

CODE: HWS-SERVICE KIT

For use with the Hotwater manifold. Should be serviced every 6-12 months. Supplied with 30cm (11.8") flat pipe, 2 large orings, 2 medium o-rings, 2 small o-rings, 2 large washers, 4 connectors and the neoprene backing.

SIZE: ONE



Credit: @sub.nor





apollo bio seals

DO YOU GET NECK & WRIST TRICKLE?

Heralded by DIVER magazine as "truly keeping the water out". Some divers may experience a trickle of water down their seals now and again, usually as a result of a channel caused by a tendon. Hopefully not for much longer.

Apollo bio seals combat water ingress and work excellently. The seals simply slide over your neck and wrists, and form an effective bond with your drysuit seal, whether you use neoprene or latex seals. The Cosmo-gel that the seals are made from is super soft and super stretchy (1300% - 1500% stretch). As you could deduce, they are very comfortable and mould to your skin brilliantly. On top of this, durability isn't compromised. This product is latex free.

BIO NECK SEAL

CODE: SEAL-NECK-BIO-BLACK-SIZE **SIZE:** M (11"-14"), L (15"+)

BIO WRIST SEALS

CODE: SEAL-WRIST-BIO-BLACK

SIZE: ONE



BLOWGUN SYSTEM

CODE: VALVE-BLOWGUN-VALVE + VALVE-BLOWGUN-INFLATOR

Features a sealing Hanson style quick release connector, located on the swivel valve body. An easy to use push-button system, which quick-connects to your drysuit valve. Users can disconnect the blowgun underwater for uses such as inflating lifting bags, marker buoys and other equipment.



LOCKING CUFF DUMP

CODE: ND0000878

SIZE:

60*60*30mm (2.4*2.4*1.2")



SUIT HANGER

CODE: HANGER-DRYSUIT
Specifically designed for drysuits, inverted drying, manufactured from lightweight heavy-duty plastic
SIZE: ONE



SUIT STORAGE BAG

CODE: NDB8

Large enough for any Northern Diver drysuit, with a water resistant lining that keeps moisture within the bag. Opens out to create a handy changing mat. Supplied as standard with all new Northern Diver drysuits.

SIZE: 76*50*20cm (29.9*19.7*7.9")


SUIT ACCESSORIES











INFLATION & EXHAUST VALVES

CODE: VALVE-ND-INFLATOR-STYLE or VALVE-ND-EXHAUST-COLOUR

Ultra Low Profile and TUV-RHEINLAND Test Rating Style/colours may vary. Fully adjustable 'auto dump'. Available with Standard V-Tech and CEJN fittings.

SPECIALIST COMMERCIAL VALVES

CODE: VALVE-ND-INFLATOR-CEJN or VALVE-ND-EXHAUST-CEJN or VALVE-ND-EXHAUST-COMM

We supply valves that are specially designed for harsher diving environments. Perfect for contaminated waters with chemical, impact and heat resistance, these valves are available in inflation, exhaust and double mushroom exhaust models. Ultra Low Profile with a TUV-RHEINLAND Test Rating.






STANDARD HOSES

CODE: NDA-NEW NDA HOSE STD or NDA-NEW NDA 40" HOSE

Low pressure drysuit inflation hose **SIZE:** 33" and 40" (83.8 and 101.6cm)



VTEC HOSE

CODE: NDA-NEW NDA HOSE VTECH
Low pressure drysuit inflation hose
Compatible with our VTECH valves

SIZE: 33" (83.8cm)



CEJN HOSE

CODE: NDA-NEW-CJEN HOSE Low pressure drysuit inflation hose Quick Connect couplings

SIZE: 40" (101.6cm)



AC-11-2 HOSE COVER

CODE: HOSE PROTECTOR BLACK

SIZE: ONE



AC-11-4 HOSE COVER

CODE: HOSE PROTECTOR BLACK

SIZE: ONE



AC-11-5 HOSE COVER

CODE: HOSE PROTECTOR BLACK

SIZE: ONE

Hose protectors: protects the delicate junction where the hose screws into the 1st stage. Durable material with self-draining vented design for thorough rinsing/ drying.



ELECTRACORE HEATED VEST



A 3.0mm neoprene rechargeable vest provides heat to give complete warmth to the body when working in cold conditions.



The Northern Diver 'Electracore' heated vest has been designed and manufactured with your comfort and warmth in mind. The three heat settings allow you to pick a temperature that suits you and if it happens that you want to raise or lower the temperature, the switch has been positioned in an easy to reach position to the left of your midriff – ensuring that even when you're wearing your rescue suit, the button remains easy to access.

The 'Electracore' has been made using a flexible 3.0mm black neoprene shell along with a snug fleece inner lining maintaining comfort for the user, whilst also insulating and reflecting the heat back on to the body, so even if the vest is turned off, there will still be noticeable thermal benefits.

The colour of the On/Off button will identify the heat of the vest. With up to a ten-hour run time, the 'Smart' Lithium-lon battery will last for several dives.

The built in heat panels are waterproof. Note the battery is not waterproof. This garment has been designed to be worn underneath a dry suit when being used in and around water.

Why use a heated vest?

Working efficiency increases
Working safety increases
Mobility is better (no need for multiple layers)
Comfort increases

1000 MA	High Setting	Mid Setting	Low Setting
Temperature	50 degrees	40 degrees	25 degrees
Run Times	1hrs 40mins	3hrs	3hrs 20mins
Colour Of Light	Red	White	Blue

CODE: HEATED-VEST-SIZE

SIZE: S, M, L, XL, XXL (UNISEX)

COLOUR: BLK

















Operational temperature: -10°C to +50°C Storage temperature: -20°C to +60°C

Battery life: > 120 mins Lithium polymer battery

Electronic switch with red LED indicator

Recharging time: 3 hours Battery output: 7.4V 2200mAh Battery weight: 150g (0.3lbs) each LVD Directive (2014/35/EU)

GLOVE FEATURES

4.0mm flexible superstretch neoprene Close comfort fit = optimal dexterity Liquid taped, stitched seams

Silicone overprinted textured palms gives user an

enhanced grip Battery pouch

Built-in heating elements

Internal seal ring to keep out the water/keep in warmth

Internal thermal lining

Magnetic operational technology

SIZES

S, M, L, XL, XXL



RECHARGEABLE NEOPRENE HEATED DIVE SOCKS

These heated dive socks are designed to provide warmth and comfort in cold-water conditions. Powered by rechargeable batteries, they offer consistent heat to keep feet warm during extended dives, enhancing comfort and performance. Durable and flexible, they are perfect for cold-water diving operations.

TECHNICAL SPECIFICATIONS

Additional leg band mounting option Average temperatures: 35°C Operational temperature: -10°C to +50°C

Electronic switch with red LED indicator

Recharging time: 3 hours Battery output: 7.4V 2200mAh Battery weight: 150g (0.3lbs) each.

SOCK FEATURES

4.0mm flexible superstretch neoprene Close comfort fit for optimal dexterity Reinforced stitched seams Ankle mounted battery pouch Built-in heating elements Internal thermal lining Magnetic operational technology


SIZES

S, M, L, XL, XXL

LVD Directive (2014/35/EU)

HYDROTHERM SYSTEM CONTENTS

You can expect to receive a combination of the following parts when you purchase a heated product from the Hydrotherm range.



Gloves or socks with built-in battery housing and heating elements.

Lithium polymer batteries and UK chargers with waterproof connectors

and protective storage/transportation case



METALUX



METALUX ARCTIC & TEMPERATE

CODE: METALUX 330g ARCTIC SIZE or METALUX TEMP SIZE or METALUX ARCTIC SIZE

Designed to reflect thermal radiation and reduce air movement, even when wet or compressed

Fabric build: lightweight, high-performance ripstop nylon outer shell with a fleece-lined inner over the metalux insulating layer Quick-drying, bacteria and fungus resistant

Stretch thermalskin cuffs and foot stirrups

Non magnetic two way YKK® zip

1x zipped chest pocket and 2x hip pockets

SIZE: S, M, ML, MLR, MR, MLT, L, LR, LT, XL, XLR, XLT, XXL, XXLR, XXXL, XXLR (UNISEX)

 100g Temp
 200g Arctic
 300g Arctic

 TOG: 4.2
 TOG: 4.3
 TOG: 4.4

THERMALUX



THERMALUX

CODE: THERMALUX-SIZE

Comfortable and incredibly flexible

Fabric build: outer nylon shell, absorbing micro-fleece lining Quick-drying & ultra lightweight

Bacteria & fungus resistant

Stretch lycra panels provide flexibility in shoulders, lower back & under arms to give exceptional freedom of movement, without sacrificing warmth

Thermalskin cuffs, elasticated thumb loops & foot stirrups Non magnetic two way YKK® zip 2x hip pockets

SIZE: XS, S, M, ML, MLR, L, LR, XL, XLR, XXL, XXLR (UNISEX)

TOG: 2.3



THERMICORE

Includes HotSox

CODE: THERMICORE-V2-SIZE or THERMICORE-V2-SUB-ZERO-SIZE

Styles available: Thermicore and a double thickness Sub Zero Fabric build: printed outer shell and a fleece inner, the Thermicore has 1 fleece layer whilst the Sub Zero has 2 fleece layers Seams are flat lock stitched Super-soft fleece comfort collar 1x zipped arm pocket (sub zero only) Elastic thumb stirrups Integrated foot stirrups Elasticated adjustable waistband

SIZE: S, M, ML, L, XL, XXL, XXXL (UNISEX)

Thermicore Thermicore Sub Zero

TOG: 0.6 **TOG:** 1.4

BODYC©RE



BODYCORE

CODE: BODYCORE-SRE-SIZE or BODYCORE-SUB-ZERO-SIZE

Styles available: Bodycore and a double thickness Sub Zero Fabric build: durable outer shell and fleece inner, the Bodycore has 1 layer and the Sub Zero has 2 layers of fleece Seams are flat lock stitched Super-soft fleece comfort collar Velcro neck closure in some styles Front entry 2-way zip Elastic thumb stirrups

Integrated foot stirrups

Suit branding may vary dependant on style

SIZE: S, M, ML, L, XL, XXL, XXXL (UNISEX)

Bodycore Bodycore Sub Zero

TOG: 0.6 **TOG:** 1.4

IIII THERMALSKIN



THERMALSKIN BODYLINE

CODE: MOD-BODY-U/SUIT-SIZE

Close fitting - fits like a "second skin" - can be used as a tropical swimming suit or as a base layer with our undersuits Fabric build: moisture wicking fleece & stretch lycra Front entry 2-way plastic zip Velcro closing neck tab Breathable & lightweight Reliable blind stitched seams Elasticated thumb loops Built in foot stirrups

SIZE: S, M, L, XL, XXL (UNISEX)

TOG: 0.2

TECHNICAL BASE LAYER



TECHNICAL BASE LAYER

CODE: BASE-LAYER-SIZE

An increasingly popular thermal...
Helps maintain core body temperature
Can be worn on its own or layered up with other undersuits
Fabric build: 67% polyamide, 30% polyester, 3% spandex
Breathable and moisture wicking
Ergonomic design
Lightweight and durable

Thumb stirrups for use when fitting wrists through suit wrist seals Foot stirrups to keep long johns in place

SIZE: S, M, L, XL (UNISEX)

TOG: N/A

THERMAL SAT



EXTREME THERMAL SAT

CODE: THERMAL-SAT-SUIT-SIZE

Fabric: a hydrophobic outer layer helps repel water, retain heat and dries quickly, a padded middle and a soft inner lining Front entry two-way YKK® zip

1x chest pocket with removable ID badge

2x hip pockets

Integrated elasticated thumb holes

Toughened panels to protect high wear areas – all round middle section of arms, back of shoulders and front of knees

Split design at the ankles with Velcro adjustable closure allows for swift donning and the use of different types of footwear

Compressible to allow suit to be stowed away tightly

SIZE: M, MT, L, LT, XL, XLT, XXL, XXLT, XXXL (UNISEX)

TOG: N/A





HOTWATER - DUAL USE SUIT

CODE: HWS-WETSUIT-SIZE

A multi-purpse item that can be used as an undersuit providing an additional layer of thermal protection for colder dives or as a wetsuit in warmer climates Fabric build: 3.0mm 4-way superstretch neoprene Finished with an anti Velcro lining Triple glued and blind stitched seams Front entry YKK® plastic zip Velcro closing collar Ndiver printed branding

SIZE: S, M, L, XL, XXL (UNISEX)

TOG: 0.2



CHANGING ROBE

CODE: ND-CHANGING-ROBE-SIZE

Changing out of your wet kit just got a whole lot easier with this cosy Changing Robe. Perfect for keeping you warm, dry and covered up, the oversized design ensures that there is plenty of space inside the robe to allow you to easily change whilst protecting your modesty.

The changing robe is water resistant and windproof with 300gsm fleece insulation, ensuring you can get changed in comfort – or to just keep warm and dry once you're out of the water.

The robe also boasts an adjustable hood, hand warmer pockets, a chest pocket and roll sleeve tabs, so you can achieve your perfect level of comfort.

Water resistant and windproof fabric 300gsm internal fleece insulation
Chest pocket (zipped closure)
Waterproof front entry zip
Roll sleeve tab to allow short sleeve and long sleeve configuration
Adjustable Velcro tabs on the cuffs
Integrated hood with drawstring adjustment
Hand warmer pockets (zipped closure)

SIZE: S/M, L/XL (UNISEX)



FLEECE INSULATION



ROLL SLEEVE TABS

SOCKS & RASH GUARDS





WATERPROOF - BREATHABLE - ANTIBACTERIAL

Moisture-wicking, anti-bacterial, breathable, and 100% waterproof, Drysox are designed with a tri-layer fabric for optimal performance. Perfect for demanding conditions where keeping your feet warm, dry, and comfortable is essential.

These lightweight socks offer a seamless, perfect fit, preventing the ingress of water, dirt, or sand. Easy to wash and high performance, they are available in calf or knee length and are Oeko-Tex 100 certified.

Fabric build:

Outer: Abrasion-resistant nylon, elastane, spandex

Mid: Waterproof, breathable membrane Inner: Coolmax, cotton, nylon, spandex

SIZE:

S (UK 4-6), M (UK 6-8), L (UK 8-10), XL (UK 10-12)



MILITARY ALL BLACK RASH VEST CODE: MOD-RASH-VEST-SIZE Ideal beneath undersuit or wetsuit SIZE: S, M, L, XL, XXL



HOTSOX
CODE: HOTSOX-SIZE
They keep your feet warm
Mid length with high wicking fleece
Flat lock stitched with no raised seams
SIZE: UK 3-14



BODYLINE SOCKSCODE: MOD-BODY-SOCK-SIZE
Keep your feet even warmer
Flat lock stitched with no raised seams
Heel protector & cut to fit perfectly
SIZE: UK 5-13



TEMPERATE SOCKS
CODE: MOD-TEMP-SOCKS-SIZE
3.0mm superstretch neoprene
Low profile flat lock stitched seams
Smooth finish & comfortable fit
SIZE: UK 5-10





DELTA FLEX 2 PIECE WITH SEPARATE HOOD

CODE: DELTA-FLEX-SIZE

Pieces: 5.0mm long john, over jacket and hood
Fabric build: 5.0mm superstretch neoprene
Ti-Ax Thermacote titanium lining
Triple glued, blind stitched seams
Collar with Velcro closing neck tab
Front entry YKK® plastic zip (long john and over jacket)
Smooth-skin wrist/ankle seals with zipped closure (long john)
Pre-formed knee and elbow areas
Protective over print on lower arms, knees and ankles

SIZE: M, ML, MLT, L, LT, XL, XXL (UNISEX)





CODE: MOD-SEMI DRY-SIZE

Fabric build: superstretch neoprene
Ti-Ax Thermacote titanium lining
Triple-glued & blind-stitched seams
Rear entry, horizontal YKK® plastic zip
Smooth-skin neoprene neck with adjustable Velcro collar
Smooth-skin neoprene wrist and ankle seals with neo warmers
1x large leg pocket (Velcro closure)
Strong pad knee and seat areas

SIZE: S, M, ML, L, XL, XXL (UNISEX)

SEMI TECH 2 PIECE WITH SEPARATE HOOD

CODE: SEMI-TECH-GENDER-SIZE

Suit can be layered in colder waters or used as separates Pieces: 5.5mm long john, 6.5mm shortie and 5.0mm hood Fabric build: 5.5mm/6.5mm superstretch neoprene Ti-Ax Thermacote titanium lining Triple-glued & blind-stitched seams Integrated Thermal Shield vest (long john) YKK® plastic zip (rear entry on long john, front entry on shortie) Smooth-skin wrist/ankle seals with zipped closure (long john) Protective over print on shoulders and knees

SIZE: S, M, L, XL, XXL (GENT + LADIES)



TROPICAL & TEMPERATE 2 PIECE MILITARY GRADE SYSTEMS

CODE: MOD-TROP-LONG-SIZE + MOD-TROP-SHORT-SIZE or MOD-TEMP-SLEEVED-SIZE + MOD-TEMP-SHORT-SIZE

Suit can be layered in colder waters or used as separates Tropical: 5.0mm long john and 3.0mm shortie Temperate: 5.0mm long john and 5.0mm shortie Fabric build: superstretch neoprene with liquid taped seams Ti-Ax Thermacote titanium lining YKK® plastic zip (rear entry on long john, front entry on shortie) Smooth-skin neck, wrist and ankle seals Strong pad elbow and knee areas

SIZE: S, M, MT, ML, MLT, L, LT, XL, XLT, XXL (UNISEX)

BEAVERTAIL 2 PIECE WITH ATTACHED HOOD

CODE: WETSUIT-BELGIUM SIZE or WETSUIT-BELGIUM 7MM SIZE

Thickness options: 5.0m or 7.0mm
Pieces: long john (sleeveless) and over jacket
Fabric build: superstretch neoprene
Ti-Ax Thermacote titanium lining
Triple glued, blind stitched seams
Integrated superstech neoprene hood (over jacket)
Adjustable Velcro shoulder straps (long john)
Front entry YKK® plastic zip (over jacket)
Smooth-skin wristseals with zipped closure (over jacket)
Kevlar® knee protection (long john)

SIZE: S, M, L, XL, XXL (UNISEX)





REAR ENTRY 1 PIECE MILITARY SUIT

 ${\it CODE: MILITARY FULL SUIT SIZE-5MM or MILITARY FULL SUIT SIZE}$

Thickness options: 3.0m or 5.0mm
Fabric build: superstretch neoprene
Ti-Ax Thermacote titanium lining
Triple glued, blind stitched seams
Smooth-skin neck with Velcro closing neck tab
Rear entry, vertical YKK® plastic zip
Smooth-skin wrist and ankle seals
Strong pad protective elbow and knee pads

SIZE: S, M, ML, L, XL, XXL (UNISEX)

NAUTIC - 1 PIECE NO HOOD INCLUDED

CODE: NAUTIC-3MM-SIZE or NAUTIC-5MM-SIZE

Thickness options: 3.0m or 5.0mm

Fabric build: neoprene, glued and blind stitched


Thermal internal lining

Rear entry YKK® plastic zip includes inner zip flap and a secure

Velcro tab to reduce flushing

Fitted with extra-long leash (zip puller)
Black smooth-skin neoprene chest panel
Glide-skin seals on neck, cuffs and ankles
Supertex knee and seat protection

SIZE: S, M, L, XL, XXL (UNISEX)





WETSUIT HANGER

CODE: HANGER-WETSUIT

Designed for the upright drying of a wetsuit Also compatible with drysuits or BCDs Lightweight heavy-duty plastic build Compact design for easy storage Heavy duty plastic build

SIZE: ONE



DELTA WETBOOT

CODE: WETBOOT07-DT-SIZE

Fabric build: 5.0mm neoprene
Titanium internal warm lining
Anti-slip rubber sole with heel and toe protection
Heavy duty durable side zip
Alterations can be made for a wider fit (extra fee may apply)

SIZE: UK 3-13

COMMERCIAL WADERS



PROWADE NEOPRENE WADERS

CODE: WADERS-PRO-SIZE

Designed around a high body cut these neoprene waders offer added protection from the elements. Commonly used in the commercial diving industry for various underwater and wet environment applications. The Prowade's provide warmth, flexibility, and protection, making them ideal for demanding tasks.

Fabric build: 5.0mm neoprene
Adjustable, elasticated quick release braces
1x large central chest pocket
Integrated hand warmers pouches
Double layer neoprene knee pads with silicone overprint
Lightweight PVC boots fitted as standard
Other boots or socks can be fitted upon request

STOCK SIZES

S, M, L, XL, XXL, XXXL

COLOURS: BLK

MTM SERVICE: YES









Applications in the Commercial Diving Industry

Construction and maintenance: used for tasks like shallow underwater repairs inspection of marine structures

Environmental work: ideal for activities such as water sampling, dredging, and clean-up operations

Aquaculture: common in fish farming operations for tasks like net repairs and feeding

Search and rescue: utilised by rescue divers working in cold or contaminated water

DRY GLOVE RING SYSTEM

Suitable for both arctic conditions & contaminated water environments.

CODE: GLDRY-SYSTEM-VERSION-SIZE

SIZE: S, M, L, XL

Loss of movement or manual dexterity, due to cold hands, can be dangerous during a dive, as well as being uncomfortable for the diver. Maintaining hand warmth and a divers ability to efficiently operate their essential diving equipment, is vital to safe diving and maintaining a high level of dive comfort. Northern Diver are proud to manufacture and continue to innovate our revolutionary concept in dry diving glove systems.

Fitting this dry glove system to your own drysuit is easy, as the package includes the unique bespoke fitting tool, sealing adhesive and a sealing adhesive application brush.

Compatible with neoprene or membrane drysuits, using latex or neoprene wrist seals. Once fitted to a divers suit, the unique twinsafe locking ring mechanism, allows quick and easy glove engagement and the equally quick release of the dry gloves, without the need for assistance.

Ansell Extra™ glove

Extremely high resistance to many ketones, salts, detergents, alcohols, alkalies and fats 100% cotton flock lining provides a softer more comfortable glove that helps absorb perspiration

100% natural rubber with no filters Excellent resistance to mechanical hazards plus increased chemical protection Chlorinated for better grip and increased chemical resistance

Heavy duty handling where sensitivity is also required

Ansell gloves certified to EN 374:2003, EN 420:2003 + A1:2009, EN 388:2003

Thermal fleece inner glove


Thermal 4-way stretch fleece
Flat lock stitched seams for comfort
Snug fit around wrist area for additional
thermal protection

Removable for warmer waters or for use post dive

Package includes

Ansell Extra™ and thermal fleece inner gloves 2 (smaller lightweight) glove modules 3 sealing rings

Locking tool and adhesive sealant Instructional video available online







DRY GLOVE RING SYSTEM CONTENTS:













Our dry glove ring system is designed for easy self-installation, and you can find detailed instructions and a helpful YouTube video tutorial on our website to guide you through the process. Alternatively, if you prefer, you can send your drysuit to us, and our experienced repair and alteration team will professionally fit it for you. Scan the QR code to view the video.

COMPATIBLE SPARE PARTS



ANSELL GLOVE (SPARES)

CODE: GLDRY-OUTER-K-SIZE SIZE: M, L, XL



INNER GLOVE (SPARES)

CODE: MOD-0273-ITEM SIZE SIZE: M, L, XL



DRY GLOVE RINGS (SPARES)

CODE: GLDRY-LOCKING-RING SIZE: ONE

DRY GLOVE RING SYSTEM ALTERNATIVES

If you do not have a dry glove system fitted to your drysuit you can use these heavy-duty gloves.

They are puncture resistant and offer plenty of room to fit a pair of warm fleece gloves underneath them.

They have a latex seal which sits on top the latex seals fitted to your suit



DRYTEK GLOVE

CODE: GL-DRYTEK-SIZE SIZE: S, M, L, XL



HELIOS GLOVE

CODE: GLDRY-HELIOS-SIZE

SIZE: S, M

CUFF RING SYSTEMS

AVAILABLE WITH LATEX WRIST SEALS OR PROTECTIVE CUT RESISTANT GLOVES

Developed to ensure that a user can quickly and easily remove the seals from a drysuit and replace with new seals/gloves in the field.

Attached directly to the drysuit the permanent wrist rings mate with seals or gloves. The gloves have excellent resistance to abrasion, acids, alkalis, cutting oils and petrol.





CUFF SYSTEM WITH LATEX SEALS

CODE: CUFF RING + CUFF RING-LATEX SIZE + CUFF RING-O RING

SIZE: M, L, XL



CUFF SYSTEM WITH GLOVES

CODE: CUFF RING + CUFF RING-LATEX SIZE + CUFF RING-O RING + CUFF RING-GLOVE-SIZE SIZE: M, L, XL



CUFF SYSTEM GLOVE (SPARES)

CODE: CUFF RING-GLOVE-SIZE **SIZE:** M, L, XL





BUILT FOR COMMERCIAL USE

COMMERCIAL 3 FINGER MITT

CODE: GL5-MITT-SIZE

Ideal for cold water diving
Thicknesses available: 5.0mm
Fabric build: 4-way superstretch neoprene with anti-Velcro lining
Thermal plush inner lining
Glued & blind-stitched seams
1.0mm to 2.0mm skin/skin neoprene internal wrist seal
3 finger mitt perfect for extra warmth keeping your fingers closer together
Gauntlet style cuffs gives extra protection up the forearm

SIZE: S, M, L, XL, XXL



KEVLAR® COMMERCIAL 3 FINGER MITT

Adjustable Velcro strap ensures minimal water exchange

CODE: GL7-K-SIZE

For extreme cold water use
Keeps your hands warm and protected
Thicknesses available: 7.0mm
Fabric build: 4-way superstretch neoprene with anti-Velcro lining
Triple glued and blindstitched seams
Additional liquid taped external seams, sealed for extra protection
KN203 Kevlar® from the tips of the fingers right down to the palm
1.0mm to 2.0mm skin/skin neoprene internal wrist seal
Adjustable Velcro strap ensures minimal water exchange

SIZE: S, M, L, XL, XXL



KEVLAR® COMMERCIAL GAUNTLET GLOVE

CODE: GLM-GAUNTLET-KEVLAR-SIZE

Thicknesses available: 5.0mm

Plush inner lining

Fabric build: superstretch neoprene Triple glued and blindstitched seams

Liquid taped around the finger tips for extra protection

KN203 Kevlar® finger tips and palm give this glove double the strength Overprinted fingertips for extra protection and abrasion resistance

50 x 50mm hook Velcro panel fitted inside helps to secure to our Hotwater suit

SIZE: M, L, XL, XXL



KEVLAR® SUPERSTRETCH GLOVE

CODE: GLTHICKNESS-K-SIZE

Thicknesses available: 3.0mm, 5.0mm
Fabric build: superstretch neoprene with anti-Velcro lining
Triple glued and blindstitched seams
KN203 Kevlar® finger tips and palm give this glove double the strength
Overprinted fingertips for extra protection and abrasion resistance
For more extreme conditions, these gloves give extra strength and protection, without compromising on hand comfort, ease of use or underwater dexterity

SIZE: S, M, L, XL, XXL



SUPERSTRETCH NEOPRENE GLOVE

CODE: GLTHICKNESS S/S-SIZE or GLTHICKNESS S/S-HD-SIZE

Thicknesses available: 2.0mm, 5.0mm, 7.0mm

Styles: superstretch and heavy duty supertretch

Fabric build: 4-way superstretch neoprene with anti-Velcro lining

Reported to be the easiest of all our gloves to put on and take off

Liquid taped seams (heavy duty style only)

Ti-Ax™ super-warm titanium inner lining

Finished with an abrasion resistant overprinted pattern

Additional overprint on the fingers for extra protection (heavy duty style only)

Super flexibility and comfort

SIZE: S, M, L, XL, XXL

3D SHAPED OPTIMUM ZIPPED GLOVES

CODE: GL3-TROP-SIZE or GL5-TEMP-SIZE

A moulded shape fit along with our Glideskin seal makes donning easy for the user. Factors complemented by the added security of a Long YKK® plastic zip with velcro closing zip tab.

With pre-bent fingers and anti-slip grip, the gloves perform really well. Super comfortable because of the pattern and the unique four-way stretch neoprene. Flat-locked stitched and triple glued seams ensure the durability and longevity of the glove is maximised to the fullest.

Available in 5.0mm Temperate and 3.0mm Tropical versions.

Sizes: S, M, L, XL, XXL



NEOPRENE HOODS





6.5MM SUPERVENT HOOD W/LINED OUTER FACE SEAL

CODE: HD-S/S-SIZE
6.5mm superstretch neoprene
Plush thermal inner layer and
vents for pressure equalisation

SIZE: S, M, L, XL, XXL COLOUR: BLK



6.5MM SUPERVENT HOOD W/SKIN OUTER FACE SEAL

CODE: HD-SKIN-SKIN-SIZE
6.5mm superstretch neoprene
Plush thermal inner layer and
vents for pressure equalisation

SIZE: S, M, L, XL, XXL COLOUR: BLK



2MM COMMS HOOD W/LINED OUTER FACE SEAL

CODE: MOD-HOOD-COMMS-2MM-SIZE
Comm cable fixtures for a radio
headset and internal pocket to
house equipment
Perforated ear pieces and vents
for pressure equalisation
SIZE: S, M, L, XL, XXL

COLOUR: BLK



5MM COMMS HOOD W/LINED OUTER FACE SEAL

CODE: MOD-HOOD-COMMS-5MM-SIZE
Comm cable fixtures for a radio
headset and internal pocket to
house equipment
Perforated ear pieces and vents
for pressure equalisation

SIZE: S, M, L, XL, XXL COLOUR: BLK



6MM BOATING OPS HOOD W/LINED OUTER FACE SEAL

CODE: MOD-HOOD BOAT OPS-SIZE

Nose, mouth & ear vents allow for comm systems to be used

Vents for pressure equalisation

SIZE: S, M, L, XL, XXL COLOUR: BLK



4MM REVERSIBLE HOOD W/SKIN OUTER FACE SEAL

CODE: HOOD-REVERSIBLE-SIZE
Yellow high vis for training use
Reflective banding on yellow side
Reverse to black for covert ops
Vent for pressure equalisation and
communications

SIZE: S, M, L, XL, XXL

COLOUR: BLK/HIGH VIS YELL



EN 20345:2011 Certified Category SB, P, E, FO, SRA





EN 20347:2012 Certified Category OB, E, FO, SRA





Rock Swim Safety Boot

Far greater protection than the standard rock swim boots, essential when more substantial PPE is required

All terrain boots

Expels water through the side vents
Use on dry land, in or under water
Can be worn with/without socks
Fit fins directly over the boot
Maximum comfort & control
Composite toe and mid-sole foil
Rugged hi-grip heavy-duty outer sole
Oil and chemical resistant
Fitted with drain holes
Multi-point Velcro securing straps
External ankle protection
Cladding protection: heel, toe and sides
Nylon and synthetics fabric build

SIZES

UK 5-13 (US 6-14)

Rock Swim Boot

Designed to be used with most models of drysuit, with attached latex or neoprene socks or material socks. These boots expel water post-dive, for additional foot protection (after diving) on a boat deck or back on land.

Offers user excellent grip
Ideal for all terrains
For use in and out of water
Lace up model
Multi-point Velcro securing straps
Velcro ankle strap
Fitted internal neoprene socks
Rugged hi-grip heavy-duty outer sole
Oil and chemical resistant
External ankle protection
Cladding protection on heel, toe & sides
Drainage points on both sides
Nylon and synthetics fabric build

SIZES

UK 5-13 (US 6-14)





160L + 110L NDB5 MILITARY HOLDALLS

CODE: NDB5-COLOUR-HOLDALL or NDB5-COLOUR-SHORT

Our NDB5 bag range is constructed from PVC top spec material and is fully washable inside and out. This strong and spacious holdall is ready for action across a wide range of transport scenarios. It's capacity should swallow up your bulky gear with ease.

These bags are renowned for their robust construction and durability making them the first choice for countless divers all over the world and are also supplied to the UK MOD who only use the best.

Spacious main and smaller end compartments D-zip opening with weather protective zipper flap Internal mesh pockets

Additional reinforcement on the base Comfortable top-mounted carry handle

Adjustable, removable alpine-cut shoulder straps with an ergonomic fit - now with extra padding for additional comfort and an adjustable chest strap

Webbing loops running down both sides of the bag can be used with carabiner or similar to attach items Twin haul handles on either end - now padded with neoprene covers for extra comfort

Water-resistant, rugged design with extra bartacs and double stitching to stengthen high wear areas ID pouch on the front of the holdall Washable inside and out

PU and nylon stitched construction

STYLES: 160L and 110L COLOUR: RED. BLUE. BLK



SUPPLIED WITH: nylon bag - great for storing the NDB5 when not in use and dry clothes when in use LxWxH: 48*44*12cm (18.8*17.3*4.7")

160L NDB5

SIZE: LxWxH: 87*46*40cm (34.3*18.1*15.7")

WEIGHT: 3.5kg (7.7lb)

110L NDB5

SIZE: LxWxH: 60*46*40cm (23.6*18.1*15.7")

WEIGHT: 3kg (6.1lb)



OPTIONAL: roll up changing mat can be stored on the

side of an NDB5 when not in use SIZE: LxW: 100*60cm (39.4*23.6")

LIGHTWEIGHT & WHEELED HOLDALLS



170L WELDED NDB5

CODE: NDB5-W-BLACK

Spacious main compartment with D-zip splash proof zip opening Internal welded seam construction and x3 mesh pockets
Comfortable top-mounted handle and x2 haul handles on ends
Alpine-cut padded shoulder straps, adjustable and removable
Equipment loops running down both sides of the bag
ID pouch on the front of the holdall, washable inside and out
Changing mat storage straps (changing mat can be sold separate)

SIZE: LxWxH: 98*50*35cm (38.6*19.7*13.8")

WEIGHT: 2.8kg (6.1lb)

SUPPLIED WITH: welded inner bag with 2-way splash proof zip

LxWxH: 56*44*12cm (22*17.3*4.7")



136L VOYAGER LIGHTWEIGHT

CODE: VOYAGER-LIGHTWEIGHT-BLUE/GREY

With handy 'trunkie' tow handle and smooth roll wheels

Strong rip-stop nylon fabric construction

Top-mounted carry handle and handles at both ends

Removable tow strap

Protective PVC with plastic runners on base

Wheel and corner guards

Two zipped compartments

One large main compartment and one small end pocket (zipped)

ID card window

SIZE: LxWxH: 81*40*42cm (31.9*15.7*16.5")

WEIGHT: 3.2kg (7.0lb)



90L SUBSAC HOLDALL/RUCKSACK

CODE: DRYBAG-SUBSAC90-K

420D TPU fabric construction

Fitted with a 100% water/air tight roll top dry seal closure Fitted with an air purge valve to help compress your kit Adjustable alpine-cut shoulder straps with built in quick release buckles for when you want to remove and store straps away One large spacious compartment

Multiple compression straps to reduce the size High quality plastic D-rings and equipment webbing loops

SIZE: LxWxH: 74*40*30cm (29.5*15.7*11.8")

WEIGHT: 1.7kg (3.74lb)

WELDED ROLL TOP RANGE - 100% DRY BAGS



TPU DRY SEAL ROLL TOPS

CODE: DRYBAG-SIZE-COLOUR

Dry seal bags are sure to keep your kit safe and dry designed for anything from recreational to rescue to military use.

High quality 420D TPU
Durable, strong and flexible
Secure 100% watertight closure
Closure creates a vacuum seal that is watertight
Completely leak-proof
Fitted with an air purge valve to help compress kit inside
Quick release buckles and high quality plastic D-rings
2x adjustable removable shoulder straps

COLOUR: red, black (others colours upon request)

120L

50L

SIZE: HxWxD: 103*37*37cm

(40.6*14.6*14.6")

WEIGHT: 1.2kg (2.6lb)

SIZE: HxWxD: 76*28*28cm

(29.9*11*11")

WEIGHT: 0.8kg (1.8lb)

20L

SIZE: HxWxD: 60*23*23cm

(23.6*9*9")

WEIGHT: 0.6kg (1.3lb)

10L

SIZE: HxWxD: 48*18*18cm

(18.9*7*7")

WEIGHT: 0.5kg (1.1lb)



PVC ROLL TOPS

CODE: DRYBAG-SIZE-COLOUR

Heavy-duty PVC

Roll-top quick release buckle system

Securely close and seal

Convenient carry handle

Keeps the water out or in (for wet items)

12L is perfect for stowing inside a canoe/kayak

51L and 117L include a detachable shoulder strap to

assist with transporting a heavier load

Bags can be branded with teams crests/logos if required examples (right) show Surrey Search & Rescue Team and

BARB SAR

COLOUR: red, black, orange, yellow

117L (LARGE)

SIZE: HxWxD: 75*38*38cm

(29.5*15*15")

WEIGHT: 0.7kg (1.54lb)

12L (SMALL)

SIZE: HxWxD: 35*20*20cm

(13.8*7.9*7.9")

WEIGHT: 0.2kg (0.44lb)

51L (MEDIUM)

SIZE: HxWxD: 54*30*30cm

(21.6*11.8*11.8")



R.A.I.D Cases provide the ultimate protection for transporting equipment that includes weapons, ammunitions, equipments for communication, EOD medical, laptops, rifles, shot guns, cameras, radios, rescue kit, specialist military equipment and more.

Injection moulded cases that can withstand the strains of floodwaters and can even be submerged* and still keep all valuable devices safe and dry. They protect your delicate equipment from handling abuse and the most extreme and hazardous conditions.

Shock proof, dust proof, waterproof, un-crushable, anti-chemical corrosion, high temperature resistance. High performance against breakage and defects from outdoor use.

Northern Diver also offers a complete customisation service, we have a professional team of engineers with years of experience managing complex projects, from design to final product, we are here to help. Injection moulded cases can withstand the strains of floodwaters and can even be submerged and keep all valuable devices safe and dry. We can accept your own design, or we can work with you to create the design for you all according to your budget and requirements.

See next page for pricing and stock sizes available



WATERPROOF HARD CASES



3L R.A.I.D. CASE

CODE: CASE-RAID-3L-191213 External dims:(L*W*D): 219*185*154mm (8.6*7.3*6.1") Weight: 1.1kg (2.42lbs)

Wheels and retractable handle: No



6.5L R.A.I.D. CASE

CODE: CASE-RAID-6.5L-231815 External dims:(L*W*D): 270*231*180mm (10.6*9.1*7.1") Weight: 1.3kg (2.86lbs) Wheels and retractable handle: No



15L R.A.I.D. CASE

CODE: CASE-RAID-15L-433015 External dims:(L*W*D): 450*350*160mm (17.7*13.8*6.3") Weight: 2.3kg (5.1lbs)

Wheels and retractable handle: No



17.9L R.A.I.D. CASE

CODE: CASE-RAID-17.9L-382718
External dims:(L*W*D):
410*342*204mm (16.1*13.5*8")
Weight: 3.74kg (8.2lbs)
Wheels and retractable handle: No



35.5L R.A.I.D. CASE

CODE: CASE-RAID-35.5L-483720 External dims:(L*W*D): 530*435*240mm (20.9*17.1*9.4") Weight: 6.5kg (14.3lbs) Wheels and retractable handle: Yes



54L R.A.I.D. CASE

CODE: CASE-RAID-54L-1133513 External dims:(L*W*D): 1189*405*160mm (46.8*15.9*6.3") Weight: 9.6kg (21.1lbs) Wheels and retractable handle: Yes



84L R.A.I.D. CASE

CODE: CASE-RAID-84-584433 External dims:(L*W*D): 670*508*355mm (26.4*20*14") Weight: 10.92kg (24lbs) Wheels and retractable handle: Yes



113L R.A.I.D. CASE

CODE: CASE-RAID-113L-764830 External dims:(L*W*D): 830*565*325mm (32.7*22.2*12.8") Weight: 13.9kg (30.58lbs) Wheels and retractable handle: Yes



154L R.A.I.D. CASE

CODE: CASE-RAID-154L-764840 External dims:(L*W*D): 830*565*429mm (32.6*22.2*16.9")


Weight: 15.4kg (33.8lbs)

Wheels and retractable handle: Yes

DEEP SEA DIVE HELMETS







Weight: 7.8 kg Dimensions: 300mm x 300mm x 300mm (length x width x height) Regulator: Scubapro A 700

The soft neoprene hood is covered by a ergonomic glass fibre shell to adjust the volume of the helmet and it protects the divers head against shocks.



The Caribe Dive Helmet is a surface demand life support system. Equipped with a standard SCUBAPRO A700 demand valve, the demand valve adjustment allows an optimal breathing comfort. It has a neutral buoyancy for an optimized comfort underwater and a quarter-turn valve ensures a rapid bailout opening in case of emergency.

Weight: 12.8 kg Dimensions:

380mm x 300mm x 340mm (length x width x height) Regulator: Scubapro A 700

The Caribe is equipped with double overpressure valves, a separated and silent free flow and defog system, a communication system, an adjustable inner liner, a bronze neck ring with neoprene neck-dam and an anti-panic closing/locking system.






The Nuclear is a dive helmet designed for underwater works in polluted environments. It has a neutral buoyancy for an optimized comfort underwater.

Weight: 13.8 kg Dimensions:

380mm x 330mm x 340mm (length x width x height) Regulator: Scubapro A 700

The Nuclear is mounted with a double spring loaded overpressure valve to ensure the divers security in polluted media. This system ensures a constant overpressure of 5mB inside the helmet and avoids the flow-back of any poisoned particles.





features found on other FFMs with unique features designed by OTS.

Removable 2nd stage for easy cleaning and storage (can't be used w/o mask)

Made of a one-piece, non-rigid silicone skirt combined with injection-moulded, high-impact, glass-filled ABS plastic frame and regulator housing

A double face seal and slightly smaller oral nasal cavity to fit most faces

Equalization occurs through a nose block.

Air flow is directed up over the visor to eliminate fogging and through one-way valves in the oral nasal pocket to reduce CO2 retention.

2nd stage comes off the right shoulder and uses a standard LP hose

Includes a communications port for easy installation of a Buddy Phone® or ear/microphone assembly to connect an Diver Communications Unit such as the Aquacom® SSB-2010

Ambient breathing valve®, mask bag and LP hose

COLOUR: BLK/YELL, RED/BLK, BLUE/BLK, BLK.BLUE, PINK/BLK, BLK/BLK





FULL FACE MASKS

Credit: @hd.stunts





OTS SPECTRUM

CODE: OTS-SFM-BB-920036-MODEL

The Spectrum Mask from OTS has created the best of both worlds for divers. You can enjoy the benefits and luxury of a FFM while also using your own regulators, thus eliminating the large costs usually associated with Full Face Masks. Ocean Technology Systems say they've created the best FFM on the market and it's the Spectrum.

Easily avoid having a dry mouth or jaw fatigue Offers clear communications (optional) Improved fit due to the double seal Five-point head harness provides a comfortable and adjustable fit, but still allows easy release in the event of an emergency

Full Face Mask (FFM) design


Visor provides an exceptional and wide field of vision Secure 5-point head harness

Suitable for cold water diving applications Coated tempered glass/Iridium safety visor

Silicone skirt Polyphenylene sulfide (PPS) upper/lower visor clamps Tempured glass or Iridium visor/lens EPDM (natural rubber blend) strap and mask Glass filled Zytel® buckles and buckle locks

Glass filled Zytel® inner frame

COLOUR: BLACK, BLUE (CLEAR or COATED lens)



OTS EYEWEAR KIT FOR GUARDIAN FFM

CODE: OTS-EYE-33

Add your prescription lenses to wire frames in your OTS Guardian Full Face Mask

Enjoy a clear view underwater with securely mounted, custom engineered and field-tested prescription ready eye gear Patented compression lock screws for a secure lens fit. User friendly-installs in seconds




OTS ABV® FOR SPECTRUM FULL FACE MASK

CODE: OTS-ABV-SFM-879110-000

Everything you need to start conserving air It enables a diver to conserve air on the surface A diver can breathe normally without removing the FFM and without using the air from their primary air source A check valve on the ABV allows ambient air to enter the valve; air is then exhaled out through the reg

FULL FACE MASKS ACCESSORIES



TORCH MOUNTING RAIL

CODE: MOD-0280-AGA RAIL or FFM-GUARDIAN-RAIL

Compatible with the OTS Guardian or Interspiro AGA Divator full face masks

Mount various accessories such as lights and cameras Allows the diver to use both hands more freely Features an up/down adjustable slider

No tools required to attach the rail system to the mask Includes a universal and Mini Quest torch mount



OTS FULL FACE MASK BAG

CODE: OTS-GRD-BAG

420D nylon with polypro webbing and corrosion resistant plastic hardware

D-rings, strap hooks, tri-glide and zipper sliders Closed cell foam padding and a shoulder strap Drain holes in the bottom

Dimensions: 39*24*16cm (15.4*9.4*6.3")

Weight: 0.319kg (0.7lb)

EN 250 Certified



SWITCH BLOCK

CODE: ND0000772 (Interspiro AGA) & ND0001413 (OTS)

The Switch Block is a safety device designed for use with Interspiro Divator AGA and OTS full-face masks, operating with medium-pressure air supplies (up to 16 bar/232 psi). It enables divers to switch from the primary to a bailout air supply in case of low pressure or failure. Attached to the diver's mask for easy access, the switch can be operated unaided, even in zero visibility, by turning it 90° clockwise.

Key Features

- Standards: EN 250:2014, CE 2425, Regulation (EU) 2016/425.
- Depth Rating: 0-50 meters.
- Air compatibility: compressed air conforming to EN 12021.
- Dimensions: 68.5 x 60 x 44.5 mm; weight: 230g.
- Performance: <10°C
- Storage: -30°C to +70°C
- Testing: -20°C to +55°C

Materials

- Housing: chrome-plated brass CZ121
- Spring: 316 stainless steel
- O-Rings: NBR
- Components: acetal

Flow Rates

- Primary Air Supply:
 - >150 m³/hr @ 10 bar outlet / 50 bar inlet
- Bailout Air Supply:
 - >150 m³/hr @ 10 bar outlet / 50 bar inlet

Compact, durable, and versatile, the Switch Block ensures reliable air supply transitions, meeting the highest safety standards for diverse diving environments.

*Switch block shown on Interspiro mask (top) and OTS mask (bottom).









levels. Transmitters monitor both Main and Bailout Supplies, while the mask-

mounted receiver provides intuitive signals:

• Red Light: Main Gas at 50 bar. o White Light: Bailout Gas at 170 bar.

• Green Light: Normal conditions. • Flashing Green: Low battery.

Mounted on the 4-Window Half Mask, it keeps alerts in the diver's peripheral vision without obstructing the view.

Designed for reliability, LAWS is the ideal safety upgrade for professional divers.





PHANTOM CLEAR VISION

CODE: MASK-BIO-METAL-COLOUR Rounded lens > superb field of vision Coated lenses Anti-fog technology Soft silicone facial skirt & strap Double feather-edge seal for comfort Patented push-button buckles COLOUR: BLK





4-WINDOW 413

CODE: MASK-MS413-COLOUR Unique twin split lens design Panoramic field of vision Surgical grade silicone Fits a wide range of face shapes Comfortable fit

COLOUR: BLK, BLUE, RUBY



MILITARY M235

CODE: MASK-MS235-BLACK Twin extended lens Low volume design Excellent field of vision Surgical grade silicone Fits a wide range of face shapes

COLOUR: BLK

HALF FACE MASKS



BRAVA

CODE: MASK-BRAVA-COLOUR
Low volume and wide field of vision
Soft silicone skirt = comfort/perfect fit
Patented push-button buckles allow
easy, quick strap adjustment
Anti-fog tech provides clarity of vision
COLOUR: BLK, CLEAR, WHITE



CLASSIC FRAMELESS

CODE: MASK-M112B-BLACK
High grade tempered glass
Anti-scratch and shatterproof
Frameless single lens gives expansive
field of view
Extremely small internal volume

Soft silicone skirt and single lever buckle

COLOUR: BLK

FINS



CODE: FIN-CODA-V2-SIZE

Designed to keep you swimming for longer Less fatigue during the dive, little risk of cramps Maximum propulsion with minimum effort Efficient split-fin design Superb power and performance

Non-magnetic design ideal for Military use
Heavy duty build quality - specially formulated
thermal plastic rubber, fine-tuned to give an
excellent balance between flexibility and rigidity
Slice through the water with minimal resistance A
smooth and stable kicking motion

Drag-reducing vents where foot pocket and blade meet radically decrease drag

Full manoeuvrability for both slow and rapid movements in the water

Quick-connect swivel buckles allow for easy donning and doffing

COLOUR: BLK

SIZE: M (UK 4-6), L (UK 7-10), XL (UK 11+)



CODE: FIN-JETFIN-SIZE or FIN-JETFIN-QR-SIZE

Manufactured from a very high quality of rubber, using the latest manufacturing processes. They have a great weight, are extremely robust and have been specifically designed for maximum endurance, exceptional propulsion and the ultimate finning power.

x2 buckle styles (metal or plastic)
Tested in extreme diving conditions
Manufactured from high quality rubber
Exceptional finning power, robust and superb endurance
Vented design decreases drag on up stroke and enhances
thrust on down stroke

COLOUR: BLK

SIZE: M (UK 4-5), L (UK 6-7), XL (UK 8-9), XXL (UK 9-10),

XXXL (UK 11+)

FIN STRAPS



SPRING FIN STRAPS

CODE: FINSTRAP SPRING SIZE or FIN-SPRING-SIZE

Plastic or metal buckles - quick release Designed to make it easier to put on/remove fins Fits to most brands of fin Flexible rubber curves around the ankle

COLOUR: BLK

SIZE: S (UK 6-8), M (UK 9-11), L (UK 12-14), XL (UK 14+)

(sold in pair)



SPRING FIN STRAPS (C-TYPE)

CODE: FIN-SPRING-JET-BLACK-SIZE

Marine-grade stainless steel spring C-type buckle for secure attachment Moulded rubber sleeve prevents wear Easy on/off - ideal for quick shore entries Will fit on a wide range of fins including our Jet Fins Secure and comfortable fit

COLOUR: BLK

SIZE: S (22cm), M (24cm), L (26cm), XL (29cm), XXL (34cm)

GAUGES / CLASSIC SERIES



CLASSIC CONTENTS

CODE: INST 1

0 - 450 bar Built-in thermometer 63mm (2.5") face size Hose length 32"/81cm





CLASSIC
CONTENTS + COMPASS

CODE: INST 2

0 - 400 bar Swivel-hose gauge 40mm (1.6") face size Hose length 32"/81cm



CLASSIC
CONTENTS + DEPTH

CODE: INST 3

450 bar Built-in thermometer 80m (262') MDI depth gauge & calibration wheel 63mm (2.5") face size Hose length 32"/81cm



CLASSIC CONTENTS + COMPASS + DEPTH

CODE: INST 4

0 - 450 bar Built-in thermometer 80m (262') MDI depth gauge, compass & bezel 63mm (2.5") face size Hose length 32"/81cm

GAUGES / COMPACT SERIES



COMPACT CONTENTS

CODE: INST 10

400 bar 42mm (1.7") face size Hose length 32"/81cm





CLASSIC CONTENTS + COMPASS

CODE: INST 11

400 bar 42mm (1.7") face size Hose length 32"/81cm



CLASSIC CONTENTS + DEPTH

CODE: INST 12

400 bar 70m (230') MDI depth gauge 42mm (1.7") face size Hose length 32"/81cm





CLASSIC CONTENTS + COMPASS + DEPTH

CODE: INST 13

400 bar 70m (230') MDI depth gauge, compass & bezel 42mm (1.7") face size Hose length 32"/81cm



WRIST COMPASS GAUGE

CODE: INST 5

Classic style wrist Rubber wrist strap Stainless steel buckle Rotating bezel & sturdy housing 60mm (2.4") face size



80M WRIST DEPTH GAUGE

CODE: INST 6

Copper-beryllium diaphragm Rack/pinion movement Smooth, precise operation 340° scale & luminous dial Adjustable screw (for diving in altitude) Available in imperial and metric 63mm (2.5") face size



PRESSURE CHECKER

CODE: INST 22 or INST 22A


Up to 232 bar (Aclamp) 300 bar (DIN) High pressure contents indicator Push-button relief valve Attaches to cross flow valve to determine cylinder pressure Surface use only



HOSES (HP + BAIL)

CODE: INST 15 or INST 18

For use with our classic and/or compact gauges Swivel end Length: 31.5"/80cm



Varilux

BRIGHTEN EVERY DIVE

UNDERWATER LIGHTING



Anodised Aircraft
Grade Aluminium



Magnetic Charging Ports



Protective Carry Cases



VARILUX 3500

CODE: TORCH-VL3500-19

Burn time: 1.5h - 40h (200lm-3500lm)
Beam distance: 1000m (3280')
Peak beam intensity: 90000cd
Impact resistance: 0.5m (1'6)
Depth rating: 100m (328')
Material: anodised aluminium
LED: 4x CREE XM-L2
LED lifespage: 100000 h

LED lifespan: 100000 h Brightness: 3500 lumen Mode: High/dimming Battery: 26650 3.7 V, 4000 mAh Switch design: magnetic slide

Lens: coated glass Size: 217*69*130mm (8.5*2.7*5.1")

Weight: (torch): 586g (20.7oz) (torch+batteries): 772g (27.2oz)

Supplied with: torch (1), batteries (2), battery charger (1), O rings (3), lanyard (1), tail cap lubricant (1), storage case (1) and user manual (1)



VARILUX TRAVEL EASY MAGNETIC CHARGING

CODE: TORCH-VLTRAVEL2

Burn time: 3.5h - 50h Beam distance: 370m (1214') Peak beam intensity: 35000cd Impact resistance: 1m (3'3) Depth rating: 100m (328') Material: anodised aluminium

LED: SST40

LED lifespan: 100000 h

Brightness: 110lm-1100lm

Mode: high/low

Battery: 26650 3.7V, 5000 mAh Switch design: push button

Lens: coated glass Size: 158x45mm (6.2*1.8") Weight: 282g (0.6lbs) (torch+batteries)

Supplied with: torch (1), magnetic USB cable (1), magnetic connector (1), lanyard (1), storage case (1) and user manual (1)



VARILUX MICRO EASY MAGNETIC CHARGING

CODE: TORCH-VLMICRO2

Burn time: 2h - 28h Beam distance: 280m (919') Peak beam intensity: 20000cd Impact resistance: 1m (3'3) Depth rating: 100m (328')

Material: anodised aluminium

LED: SST40

LED lifespan: 100000 h

Brightness: 90lm-850lm

Mode: high/low

Battery: 18650 3.7V, 2600 mAh Switch design: push button

Lens: coated glass

Size: 145x35.5mm (5.7*1.4")

Weight: 185g (0.4lbs) (torch+batteries)

Supplied with: torch (1), magnetic USB cable (1), magnetic connector (1), lanyard (1), storage case (1) and user manual (1)



LED STROBE

CODE: STROBE LED TORCH

Single 1W LED - 160 lumens output

Upgraded 'silent' strobe unit that is visible up to 2 miles away

Continuous burn time of up to 6 hours

Depth tested to 50m (164')

Magnetic 'function' switch and one-piece impact resistant ABS body

Perfect emergency signalling device

Handy to attach to a BCD or keep in BCD pocket as a back-up torch

Twin anchor points (fit 32mm webbing)

Torch length: 140mm (5.5") Weight: 0.188kg (6.6oz) Supplied with wrist lanyard

Requires 3 x AA batteries (not supplied)



FUSION R

CODE: TORCH-FUSION-R

Variable output 300 to 2000 lumens
Colour temp 5300K to 7300K
3.5 to 20 hours burn time
IP68 waterproof rated
Super bright SST40 LED with a lifespan of 100,000 hours
Depth tested to 100m (332') and impact resistance 1.5m (5')
Magnetic USB charging port
Beam distance 309m (1014') and beam intensity 24800 cd
Modes high-med-low and strobe
Built in 21700 rechargeable battery

Size:

Weight: 196g (0.43oz)

Supplied with wrist lanyard, magnetic charge port, USB cable and case



MINI QUEST

CODE: TORCH-MINI-LUX-ND

230 lumens output
Powerful 'spot' beam
8.5hr total continuous burn time
Variable output technology
100% full power output for 3.5hrs

100% full power output for 3.5hrs, gradually decreases over the remaining NEW Philips Lumileds 3w Luxeon LED

Depth tested to 95 metres

Tough poly carbonate body with an aluminium torch head Double O-ring seals and rear mounted magnetic on/off switch Optional helmet mount

Torch length:170mm (6.7") Weight: 0.327kg (11.5oz)

4 x AA alkaline batteries (supplied)

V3 LED FLEXI-LIGHTS STICKS





CODE: FLEXI-LGT-V3-COLOUR or FLEXI-LGT-V3-V-COLOUR

A versatile, flexible lighting solution designed for use in underwater and challenging environments. Typically, these lights are used by military operatives, commercial divers, search and rescue teams, and other professionals who work in low-visibility or hazardous conditions. The Flexi-Light is known for its durability, flexibility, and compact design, which makes it ideal for various underwater applications.

MODES

Low power 40hrs burn time (standard) High power 20hrs burn time (standard) Flash 42hrs burn time (standard & multi-colour)

WE'VE KEPT THE FEATURES THAT WORK

- Twist or bend the Flexi-Light without causing any damage
- High intensity 8 lumens
- Burn up to 3x brighter than traditional glow sticks
- Visible distance: up to 3000m (9842')
- Depth tested up to 100m (328')
- · Non-sparking and non-heat producing
- RoHS compliant double sealed construction
- Non-replaceable battery
- 100% waterproof
- Improved on/off push-button operation
- Can be repeatedly used with on/off switch

COLOURS/STYLES


Green, yellow, blue, red and white, multi-coloured or infrared

SIZE

110*25*12mm (4.3*0.9*0.5")



Flexible silicone body - will not snap



Easy press-to-operate button design



Velcro, clips or pocket fixing options

KNIVES / BLUNT TIP SERIES



KN167 KNIFE

CODE: KNIFE-KN167-YELLOW

78mm (3") twin edge s/s blade 3.0mm (0.1") chisel point safety blade Serrated/sharp edge and line cutter Hard plastic protective sheath Push button quick release system Solid nylon comfort handle Webbing, BCD or PFD attachment

COLOUR: HIGH VIS YELL



KN48 KNIFE

CODE: KNIFE-KN48-YELLOW

70mm (2.8") twin edge s/s blade Serrated/sharp edge and line cutter 2.5mm (0.1") chisel point safety blade Protective hard plastic sheath Thumb-lock quick release system Comfort handle / rear anchor point Webbing, BCD, PFD or rope attachments

COLOUR: YELL



KN011 FOLDING KNIFE

CODE: KNIFE-KN011-COLOUR

90mm (3.5") s/s blade
ABS and poly PU coated handle
Molded comfoft handle
Exceptionally good grip
Line cutter and thumb opening slot
Folds for safety when not in use
Rear anchor point

COLOUR: YELL, BLK



KN42B KNIFE

CODE: KNIFE-KN42B-YELLOW

120mm (4.75") s/s blade
Blunt tip blade
Blade: serrated & sharp edges
Built in line cutter
Smooth cutting, lightweight, durable
Plastic sheath to protect the knife and
rubber leg straps are included
Smart quick lock / release system on
the sheath for diver easy operating

COLOUR: YELL, BLK



LDK RESCUE KNIFE

CODE: KNIFE-LDK040

75mm (3") twin edged titanium blade 3.0mm (0.1") chisel point safety blade Protective hard plastic sheath Push button quick release catch Handle with rear anchor point Quick locate knife handle insert Variable width attachment system Bracket to attach 50mm (1.9") webbing

COLOUR: YELL, BLK



SQUEEZE LOCK KNIFE

CODE: KNIFE-SQUEEZE-SEC

75mm (3") s/s blade
Blunt tip safety blade
Blade: serrated and sharp edges
Built in line cutter
Easy squeeze secure locking system
Hard plastic yellow protective sheath
Compact and portable safety knife
Attaches to your BCD or PFD
Allows for quick emergency access

COLOUR: YELL/RED




ALPHA TITANIUM KNIFE

CODE: MOD-ITEM 53 KNIFE

Designed specifically for the military 120mm (4.7") titanium blade Blade: serrated & sharp edges Built in line cutter Super sharp and lightweight Metal handle butt Positive lock mechanism Black plastic hard-case sheath

COLOUR: BLK

KNIVES / SHARP TIP SERIES





KN166-P KNIFE

CODE: KNIFE-KN166-CANVAS

80mm (3.1") serrated blade 2.5mm (0.1") curve point safety blade Single sided blade Solid nylon handle with rear strike Soft webbing protective sheath Comfort handle Rear anchor point

COLOUR: BLK



KN20 KNIFE

CODE: KNIFE-KN20-YELLOW

110mm (4.4") stainless steel blade 5mm (0.2") sharp tip Blade: serrated & sharp edges Built in line cutter Smooth cutting, lightweight, durable Compact quick-release mechanism Leg straps and sheath included

COLOUR: YELL/BLK



GK ELITE KNIFE

CODE: KNIFE-GKELITE

176mm (6.9") stainless steel blade Heavy duty commercial knife Ultra sharp serrated edge ideal for cutting through tough materials High impact sheath with twin aluminium carabiner clips to attach and secure to your kit

COLOUR: HIGH VIS YELL/BLK



DIVER WEIGHT BELT

CODE: MOD-ITEM-499 BELT

A simple method for configuring your weight
Plastic tab end removes quickly to add lead blocks
Weight position can be adjusted with two sliders on webbing
Secures with a quick release plastic buckle

SIZE: one (adjustable) 34" to 54.5" (86-138cm)



NYLON WEIGHT BELT

CODE: ND-WEIGHTBELT
50mm (2") wide webbing
Approx. 140cm (55.1") long
User adjustable
Can be trimmed to fit any diver

Includes a stainless steel quick release buckle



LEAD COATED WEIGHTS

CODE: LEAD BLOCK SIZEKG-COLOUR
Plastic coated for protection
Bright colours for added visibility
Rounded corners for comfort
Twin belt webbing slots

SIZE:

1kg, 7*8.4*2cm (2.8*3.3*0.8") 2kg, 9*9*3cm (3.5*3.5*1.2") 3kg, 10.5*10.5*3cm (4.1*4.1*1.2") 4kg, 11.5*11.2*3.5cm (4.5*4.5*1.4")

COLOUR: BLK, RED, GRN, BLUE, YELL



LEAD FILLED BAGS

CODE: LEAD POUCH SIZEKG
Heavy duty, durable bag
Contains un-graphited lead shot
Great alternative to or in addition to
other BCD lead weights with extreme
comfort & flexibility



V2 LEAD SHOT ANKLE WEIGHTS

CODE: W-ANKLE-SIZE

A must have to add negative buoyancy to the ankles and help bring the legs down into a correct horizontal position. The soft outer shell allows for a comfortable fit around the ankles, the weights are pre-filled with loose lead shot beads. Adjustable sizing with quick release plastic buckle closure.

SIZE: S: 450g (15.9oz) lead shot in each Length of the small 33-40cm (13-15.7") L: 750g (26.5oz) lead shot in each Length of the large 40-46cm (15.7-18.1") Ankle weights are supplied as a pair

CYLINDERS/DIVE TANKS

ND PARTNERS

CODE: SIZELTR CYLINDER or SIZE LITRE 300 BAR FABR

All our 232bar Faber steel diving cylinders are supplied complete with a standard DIN convertible cross-flow valve, compatible with all scuba diving regulators using the DIN or A-Clamp (International) 1st stage fitting.

Can be supplied O2 Clean (O2 serviced with an O2 clean cross-flow days and carries an extra charge, contact us for details.



CYLINDERS/DIVE TANK ACCESSORIES



PONY CLAMP

CODE: PONYCLAMP ND

Allows you to join your pony cylinder to your main cylinder

Pony bottle quick release system

A 3L pony cylinder can be coupled to main air cylinder quickly

Clamp plates supplied with rubber strips to provide a extra grip on the air cylinders

Lightweight and seawater resistant

Engineered from anodised aluminium

Stainless steel jubilee clips with a protective rubber layer The system allows you to have either left or right side mount



MALE CLAMP PLATE

CODE: PONYCLAMP ND MALE
Anodised aluminium
Size: 16*7*2.5cm (6.3*2.6*1")



FEMALE CLAMP PLATE

CODE: PONYCLAMP ND FEMALE
Anodised aluminium
Size: 21.5*7*3cm (8.5*2.6*1.2")



JUBILEE CLIPS

CODE: PONY CLAMP CLIPS x2 supplied

Size: 36*1.8cm (14.2*0.7")



RUBBER STRIP INSERTS

CODE: PONYCLAMP-RUBBER-STYLE
Rubber lengths slide into place
Helps protect the cylinder and plates
from scratching and damage
Male: 16*1.5cm (6.3*0.6")
Female: 21*1.5cm (8.3*0.6")



CYLINDER CHARGING ASSEMBLY

CODE: ND0000310

DIN 240-300bar and Aclamp options
G 1/4 hose connector

Fits most UK compressor hoses

Screw-type purge valve

Tested pressure of 525bar



BACK PACK ASSEMBLY

CODE: BACKPACK HARNESS

Durable single tank backpack
50mm (2") webbing/harness/strap

Quick release stainless steel buckles
Disperses weight across hips/back
Standard slots/attachment points

CYLINDERS/DIVE TANK ACCESSORIES



TWIN BANDS

CODE: ND-TWIN BANDS
50mm (2") wide webbing cam belts
With plastic protective spacer blocks
316 marine stainless steel D-rings

316 marine stainless steel D-rings Adjustable for use on all cylinder/ tank sizes

Compatible with all modern BCDs Stainless steel style also available



CYLINDER/TANK HANDLE

CODE: TANK HANDLE
Universal handle for single tanks
Very secure - 2 bolt fixing
Safe and easy carrying of cylinders
Fits the neck of 10L, 12L, 15L
Tough, injection-moulded plastic



CYLINDER/TANK MESH

CODE: TANK MESH SIZE COLOUR
A lightweight method to protect tanks from the wear and tear
Heavy duty protective mesh sleeve
SIZE: 7" (17.8cm) and 8" (20.3cm),

fits 10L, 12L, 15L COLOUR: BLK, YELL



AIR RIFLE FILLING SYSTEM

CODE: 7 LITRE 300 BAR FABR + GUN CHARGING VALVE INC HOSE

7L 300bar high quality cylinder fitted with the gun charging valve dedicated to safe filling of pneumatic pre-charged air guns. The design features an integrated gauge to show the pressure you have filled your air gun to.

Cylinder and charging valve must be bought as a complete set from Northern Diver. For safety reasons charging valve cannot be sold separate. (Handle not include).



CYLINDER/TANK RUBBER BOOTS

CODE: CYLINDER BOOT SIZE

Stop your bottle falling over - this rubber boot simply pushes on to the the bottom of your cylinder and gives a flat base to help prevent the bottle from falling over.

Protect the base of your cylinders. The flat bottoms allow the cylinders to stand upright and are vented with ribs and drain holes to allow water to drain away to help prevent corrosion.

Designed fit perfectly over the bottom of your steel diving cylinder, providing superb impact protection and improved stability, when back on dry land.

SIZE: 4" (10.2cm), 6" (15.3cm), 7" (17.8cm), 8" (20.3cm)



14L PRESSURE POT

CODE: MOD-ITEM 267 PRESSURE POT

Internal dimensions: 250*285mm (9.8*11.2")

Maximum inlet pressure: 9 bar Pressure relief valves: 10.35 bar Maximum depth reading: 90m (295')

Weight: 46.5kg (102.5lbs)

Inlet connection: Hansen quick coupling 6-point locking mechanism, quick release action

Removable plastic liner Polycarbonate window

Can also be used to check depth gauge accuracy

Chrome plated mild steel

Maximum depth reading of 90m (295')

Straight forward display ensure simple & swift operation Durable construction made from 316 stainless steel




BS EN 50270 & BS EN 61000-6-3 Cartified

POMA OXYGEN MONITOR

CODE: MOD-ITEM-192(LOT2)-POMA

Designed to measure oxygen levels in the range 0.1 - 100%, for tank oxygen level verification. The POMA is fitted with a large digital display & operates from an internal temperature compensated electrochemical oxygen sensor.

The unit is powered by a 9V battery, which will last for approximately 1 year before replacement is necessary. The oxygen monitor will automatically switch off after 10 minutes to ensure battery life is not compromised if the instrument is accidentally left turned on.



OXYGEN DIVING SENSOR

CODE: MOD-ITEM 35 (LOT2) OXYGEN SENS

Electrochemical transducers for measuring the oxygen partial pressure

DIVE DEEPER. STAY CONNECTED.



Ensure safety and efficiency in underwater operations with our reliable communication systems, designed for the demands of commercial diving.



Clear and Reliable Communication

Our systems ensure crisp audio quality even in challenging underwater conditions, enabling effective team coordination during operations.



Versatile Solutions

From full-duplex communication to push-to-talk options, we offer a range of devices tailored to specific operational requirements, including construction, inspection, and salvage tasks.



Robust and Durable Design

Engineered for the harsh underwater environment, these systems are resistant to pressure, salt water corrosion, and extreme temperatures.



helmets, full-face masks, or handsfree set ups for maximum operational flexibility.



Range of Applications

Ideal for commercial diving, offshore construction, underwater inspections, and marine research.

Upgrade your dive team's performance with advanced communication technology - speak to the commercial sales team today!

COLTRI COMPRESSORS COLTRI COMPRESSORS COLTRI COMPRESSORS COLTRI COMPRESSORS MADE IN ITALY

Explore the Full Range of Coltri Compressors: Your Trusted Source for Diving Compressors
As an authorised reseller of Coltri Compressors, we're proud to offer a premium range of high-performance air compressors designed specifically for sport diving. Whether you're an experienced diver, dive instructor, or run a diving school, our selection of Coltri Compressors ensures safe and reliable breathing air for your underwater adventures.

Unmatched Performance

A consistent high-pressure air output, ensuring your tanks are always filled with clean, breathable air. Each unit is built to withstand intensive use, making it ideal for recreational divers and dive centres alike.

Low Maintenance, Easy Operation

Coltri Compressors are known for being low-maintenance, with user-friendly interfaces that make operation simple even for beginners. Spend less time on maintenance and more time diving.

Reliability And Durability

Crafted from robust materials, Coltri Compressors are engineered to last. These machines are built to endure harsh marine environments, ensuring years of reliable service even under extreme conditions.

Energy Efficient Designs

Save on operational costs with energy-efficient designs. Many models are built to use minimal power while delivering max performance - excellent choice for eco-conscious users.

Compact And Portable Options

Whether you're on a dive trip or managing a mobile dive service, our range includes compact and portable Coltri Compressors that are easy to transport without compromising performance.

Certified Quality for Your Safety

All our compressors meet the highest industry standards for air purity and safety. Every compressor is rigorously tested to ensure compliance with international dive safety regulations, giving you peace of mind every time.



SILENT ELECTRIC COMPRESSOR

The SILENT model sets a new standard for soundproofing, operating below 70 dB, making it ideal for intensive use and high refill capacities. It is equipped with four front high-pressure filling connections and an easy-to-use control panel, powered by an electric motor and robust pumping units. For extended filter life, we recommend the Tornado high-pressure dryer. Optional features include the Presec system for monitoring filter saturation, the SAM system for multigas analysis, and a remote charging panel for added convenience.



ERGO 270 TPS SH COMPRESSOR

The ERGO TPS is the ideal choice for those seeking a compact yet powerful breathing air compressor. Equipped with four TPS (Tropical Plus Superdry) pumping units, the ERGO TPS offers the flexibility of electric motors or engines—choose from Honda for petrol versions or Kohler for diesel compressors. Its control panel includes a full monitoring system with pressure gauges, an autostop feature with an adjustable electronic pressure switch, automatic condensate drainage, and rotation direction control. With two high-pressure hose connections and an enhanced filtration system featuring dual Hyperfilters, the ERGO TPS ensures superior performance and air quality. A remote charging panel is also available as an optional upgrade.



ERGO TPS ELECTRIC COMPRESSOR

The ERGO TPS is the perfect solution for those needing a compact, high-performance breathing air compressor. Equipped with four TPS (Tropical Plus Superdry) pumping units, the ERGO TPS runs on electric motors or engines, offering options from Honda for petrol models and Kohler for diesel compressors. Its control panel includes a comprehensive monitoring system with pressure gauges, autostop with an adjustable electronic pressure switch, automatic condensate drainage, and rotation direction control. With two high-pressure hose connections and an advanced filtration system featuring dual Hyperfilters, the ERGO TPS delivers superior air quality. A remote charging panel is also available as an optional upgrade.



FORCE FOUR ELECTRIC COMPRESSOR

The FORCE FOUR model is designed to meet professional demands for large charging capacities, ideal for hot, poorly ventilated environments or tropical regions. It features an intuitive control panel and an electric motor, with a choice of four powerful pumping units exposed for optimal cooling. The FORCE FOUR is fitted with the Hyperfilter purification system in a standalone setup, complete with automatic condensate drainage. For extended filter life, the Tornado high-pressure dryer is recommended. Optional upgrades include the Presec system for monitoring filter saturation, oversized Megafilter cartridges, and a remote refill panel with 2 or 4 outlets.

Contact our commercial sales team for more information and options of all compressors.

Neil Tordoff

Phone: +44 (0) 1257 25 69 49

Mobile: +44 (0) 7872 061 533

Email: neil@ndiver.com

Mateusz Domoradzki

Phone: +44 (0) 1257 82 68 53 Mobile: +44 (0) 7538 989 115


Email: mateusz@ndiver.com

COLTRI COMPRESSOR ACCESSORIES



DIGITAL HOUR TACHO METER

CODE: COLTRI-TACHO-METER
This product is available only for HONDA



HYPER/MAX FILTER CARTRIDGES

CODE: COLTRI-FILTER-STYLE-FILTER
MCH 22/32/36 or MCH 8/11/13/16/18



PRESSURE MAINTAINING VALVE

CODE: COLTRI-PMV
Use only with BC filling connection



3M REMOTE INTAKE KIT

CODE: COLTRI-REMOTE-INTAKE
3m (9'8) pipe + 20mm (0.8") diameter



SPECIALIST MOTOR OIL

CODE: COLTRI-SPECIAL-OIL
For gasoline and diesel engines




SYNTHETIC OIL ST 755 1L

CODE: COLTRI-SYNTHETIC-OIL-3 (SC000871)



CAPS + DISCS SET

CODE: COLTRI-FILTER-CAPS-DISCS
6pc kit for hyperfilter air filter cartridges



MCH6 AIR FILTER CARTRIDGES

CODE: SC000340/STYLE

Molecular sieve + activated carbon



MOLECULAR SIEVE 1L

CODE: COLTRI-MOLECULAR SIEVE 1LT 5L version is also available, call us



ACTIVATED CARBON 1L

CODE: COLTRI-ACTIVE CARBON 1LT 5L version is also available, call us



CO CATALYST 1L


CODE: COLTRI-CO-CATALYST-1LT (SC000355)



PRESSURE REDUCER

CODE: COLTRI-PRESSURE-REDUCER
DIN w/safety valve, 300 bar F/232 bar M





DIVER LAUNCH AND RECOVERY SYSTEM





Our launch and recovery systems (LARS) allow diving and ROV operations to be conducted from dynamically positioned (DP) vessels. The systems are fully transportable in suitably converted 20ft transport containers.

The hydraulic A-Frames and stainless steel diving cages have been specifically designed to provide robust operation to limit the amount of deck space needed. A standard system comprises a diver's deployment A-Frame, two hydraulic man-riding winches, two-man dive basket and guide weight. Two independent hydraulic power units.

The units are also available with an air winch option and all are supplied complete with a full certification package.

TECHNICAL SPECIFICATIONS

Safe working load: 2t

Maximum outreach: Approx. 1000mm from front of base

Width between arms: 1730mm (approx.)

Height to top of main arm:

Approx. 4600mm with arm extended

Hanging points on arm:

three off – 2 tonne SWL 1 x main basket 2 x for guide

weight

Overall dimensions frame fully open:

3000mm L x 2000mm W x 4500mm H

Transport position closed:

3000mm L x 2000mm W x 1850mm H

Overall weight:

Approx. 1200kg tare, 3000kg gross

Hydraulic winches:

2 x DSI man riding winches 1 x winch with 150mtr wire (guide weight) 1 x winch (main with 90m wire) 13mm dia

(guide weight) 1 x winch (main with 90m wire) 13mr anti-rotational wire rope

Hydraulic oil: ISO hydraulic 46

Two-man dive basket:

1200mm L x 1000mm W x 2500mm H

Guide weight:

1520mm L x 250mm W x 325mm H

All materials used are supplier certified grade 355 mild steel, and grade 316 marine grade stainless steel, all load testing and MPI, Eddy Current and Dye Pen tested, these tests are all done by industry certified third party lifting companies, a full certification package comes with each LARS frame and a Planned Maintenance System (PMS) schedule for individual components. All lars can be galvanised and / or painted to client's specification.

There are two Hydraulic power packs so there is 100 % redundancy, WP 250 bar, flow rate 25 LPM, tank capacity 150 Ltrs, system working pressure 172 bar, motor power 15kw.

There is 1 x power box that houses all the electrical control components, the HPUs are interlocked so only one unit can be started at any one time all the hydraulic control valves operate in conjunction with the HPU that is online, there are upper limit switches on the guide wire to prevent the dive basket from going block to block with the frame pully, and a single emergency stop, each HPU has its own hour meter to keep track of running hours for PMS schedules. 2 x LED overhead lights are mounted on the A frame cross bar to illuminate the working area.

COMMERCIAL UNDERWATER TOOLS PARTHER NORTHER DIVER



CAVITATION PISTOL

CODE: CW200



VERTICAL UNDERWATER GRINDER

CODE: GR200



RETRO CAVITATION CLEANING

CODE: CW250 or CW350



HIGH PRESSURE UNITS

CODE: HDE10 or HDE18 or HDMD18 or HDMP18



ND PARTNERS

UNDERWATER DRILL

CODE: DR200



PORTABLE HIGH PRESSURE UNITS

CODE: CNZ35 or CNZ370

PLEASE ENQUIRE FOR LATEST PRICES ON UNDERWATER TOOLS

For product specs visit www.ndiver-commercial.com/equipment/underwater-tools

COMMERCIAL UNDERWATER TOOLS

Designed for a full range of applications including underwater construction, salvage and demolition. Whether for commercial companies or governmental organizations, Stanley offers the marine equipment needed to build. Stanley underwater tools are found everywhere from oil platforms & dam construction sites to mining explorations & archaeological expeditions.



CUT OFF SAW

CODE: CO23



GRINDER

CODE: GR29



BREAKER/DRIVER

CODE: BR45 or BR67 or BR87



CORE DRILL

CODE: CD07



HAMMER DRILL

CODE: HD25



PEANUT GRINDER

CODE: PG04



CHIPPING HAMMER

CODE: CH15



IMPACT WRENCH

CODE: IW12



IMPACT WRENCH

CODE: IW16





MANTA SAR HELMETS



MH/2

Tested to multiple standards, ensuring its suitability for a wide range of professional applications. It meets or exceeds the following certifications:

EN 12492 – Helmets for mountaineers EN 1385 – Helmets for water sports EN 166 (Optical Class 1) – Eye protection EN 1078 – Helmets for cyclists EN 397 – Industrial safety helmets



MH/3

A high level of impact protection which gives the wearer excellent protection from impact/shock both from above or from the sides. Tested to seven different international standards, giving it the versatility to be used in many applications:

PAS 028:2002 Marine safety helmet FS/1 Quad & ATV helmet EN352-3:1997 Hearing protection EN 166 (Optical Class 1) – Eye protection EN12492 Working at height / Mountaineering EN397 (Flame Resistance) ANSI Z89,1 Type 2 Class C American National Standard for Industrial Head Protection



MH/4

A high performance multi-role technical rescue helmet for the most demanding work environments. Tested to:

EN 12492:2012 Mountaineering helmet EN 14052:2005 High performance helmet PAS028:2002 Marine safety helmet EN 16471:2014 Firefighters for wildland EN 16473:2014 Firefighters for tech rescue FS/ATV1 Quad & ATV helmet EN 166 (Optical Class 1) – Eye protection EN352-3:1997 Hearing protection ANSI Z89, 1 Type 2 Class C American National Standard for Industrial Head Protection High performance multi-role technical rescue helmet for the most demanding work environment, with the facility to fit a variety of accessories. Used by many Fire, SAR, Coastguard, Ambulance and Rescue teams around the world. There are 3 variants of the Manta available: MH/2, MH/3 & MH/4.

Manta helmet uses:

Working at height

Search and rescue
Ambulance
Emergency medical services (EMS)
Water rescue and swift water rescue
Powerboat, RIBS & hovercraft
Confined space
Chemical, bacteriological,
radiological/nuclear environments
Tactical assistance
Equestrian & animal rescue
Industrial safety
Forestry and wildfire fire fighting
Maritime rescue
Coastal border security

Features:

Impact protection:

Crown=100 joules Side/Front/Rear = 90 joules Shell thickness: 3-6mm (0.1"- 0.2") Liner thickness: 18-22mm (0.7"- 0.9") Helmet weight: 550g (19.4oz) High impact ABS shell Available in up to 9 colours Removable ventilation covers (available in black or reflective) Good ventilation and airflow Internal retractable visor fitted Secure 4-point chin strap SOLAS approved reflective tape Easy lockable adjustment ratchet Deluxe replaceable sweatband Easy attachment of accessories

SIZE: ONE, head circumference: 52-62cm (20.4-24.4")

COLOUR: RED, BLK, GRN, BLUE, NAVY BLUE, ORANGE, WHITE, YELL

MEDICAL BAGS BESPOKE SOLUTIONS AVAILABLE



75L MEDICAL PACK

CODE: RESCUE PACK

Manufactured from heavy duty top span PVC Secured with an arched zip and top-mounted carry handle Adjustable, padded shoulder straps Waist strap for extra stability and weight distribution 4x removable medical equipment bags (2 small, 1 medium, 1 large), 1 removable gas cylinder bag (5L cylinder or smaller) and a rescue encapsulated panel, 300x100mm (11.8"x 3.9")

MAIN: HxWxD: 57*44*25cm (22.4*17.3*9.8")

FRONT POCKET: HxWxD: 45*30*9cm (17.7*11.8*3.5")

WEIGHT: 1.2kg (2.64lb)



46L RESPONDER PACK

CODE: SOS-RESPONDER SPORT

Green top span PVC, water resistant/wipe clean Transparent pocket for interchangeable panels Dual front pocket and clamshell opening for fast, easy access Lined with quilted diamond velvet nylon 2x Velcro padded cylinder protectors 4x zipped removable internal compartments HD splash proof zips with 'easy grab' zip pullers Comfort carry handles and adjustable shoulder straps MAIN: HxWxD: 58*40*20cm (22.8*15.7*7.9")

FRONT POCKET: HxWxD: 35*32*5cm (13.8*12.6*2")

WEIGHT: 1.5kg (3.3lb)



30L ANALGESIC PACK

CODE: SOS-ANALGESIC BARREL BAG

Removable panels for changeable logos (both sides) Internal padded cylinder protector and side pockets Heavy duty splash proof zips and removable shoulder strap Comfortable dual rubber carry handle on the top Made from ripstop nylon with a protective PVC base

COLOUR: blue

SIZE: HxWxD: 60*25*20cm (23.6*9.8*7.9")

WEIGHT: 0.7kg (1.54lb)



23L PROFESIONAL RESPONDER PACK

CODE: SOS-PROF-RESPONDER

Green top span PVC, water resistant and wipe clean Transparent pocket on front for interchangeable panels Clamshell opening for fast, easy access Lined with quilted diamond velvet nylon Velcro close padded cylinder protector fitted 3x zipped removable internal compartments Heavy duty splash proof zips and adjustable shoulder straps Comfortable carry handles on both the top and side

SIZE: HxWxD: 60*32*12cm (23.6*12.6*4.7")

WEIGHT: 1kg (2.2lb)

METALUX 200G CASUALTY BAG

CODE: CASUALTY-BAG

CONSTRUCTION

Outside bag: black Metalux 200gsm

Internal build: synthetic resinous wadding & tin

foil thermal film

Inside bag: red thermal soft fleece Fixed 8mm (0.3") neoprene mat built in

High wear nylon base

OTHER FEATURES

Lightweight

Comfortable and warm for casualties 6x 2 way plastic zippers for quick and easy access to all parts of the bag

8x neoprene padded carry handles built into

bags base for extra strength

10x elasticated compression straps

Circular drawstring panel to keep casualties

head/neck fully insulated

Mesh documents pocket with Velcro closure, dims approx 350*295mm (13.8*11.6")

Machine washable

Easy to roll up and stow away

Carry handle on top






This Metalux casualty care bag has been developed for use in the harshest of conditions. Perfect for air ambulance, mountain rescue and search and rescue. If this bag was to be saturated in water it would still keep its thermal properties and keep the casualty warm.

ROLLED: LxWxH: 70*30*25cm (27.5*11.8*9.8")

WEIGHT: 4.5kg (9.9lb) **TOG RATING:** 4.3







TRAINING MANIKINS

The water rescue manikins of choice for British and US Navies, all UK Fire Services and NATO forces worldwide - these dummies perfectly simulate unconscious casualties in water.

BODY RECOVERY TRAINING MANIKIN:

Ideal for Police dive teams training to recover bodies from inland waterways and from under ice.

CONSCIOUS CASUALTY TRAINING MANIKIN: Suitable for jet ski rescue training and other general water rescue scenarios.

MAN OVERBOARD TRAINING MANIKIN:

Ideal for search and rescue exercises in the open ocean, streams, lakes or other inland waterways.

SEARCH & RESCUE TRAINING MANIKIN: Extensively used by Police and police dive teams, Royal Navy, Offshore operators, Coastguards & Lifeguards and Inland Water Rescue Teams.



DMAC MEDICAL KIT

CODE: FIRST-AID-KIT

The Diving Medical Advisory Committee (DMAC) specifies medical kits that they recommend to be held on the surface and in saturation chambers at dive sites. The kits include equipment for use in an immediate first aid situation, equipment and drugs that may be used by personnel with advanced medical training such as a dive medic. Includes items that would be commonly used in an emergency situation during diving operations in a remote location the kits are an essential component at a dive site. Visit our website for a full list of contents



ZOLL MEDICAL KIT

CODE: N/A

This kit includes the 23L Professional Responder Pack, a Zoll Debrillator, a Medical kit and 400L Medi Vital Cylinder The bag organises kit to give easy access in an emergency The Zoll AED Plus coaches you quickly and simply through every important step of the rescue process

Cylinder has a pressure regulator integrated with cylinder valve for fitting to gas cylinders used for medical gases

The medical kit contains wipes, dressings, bandages etc for a full breakdown of the kit please visit our website or contact us for the latest datasheet



BELL/CHAMBER KIT

CODE: N//

Designed to serve commercial diving operations, and also advanced sports diving activities

The kit can be configured to cover the requirements for saturation and air diving operations

The medical kit contains bandages, masks, airways, gloves, blankets, wound dressings, scissors, tourniquet and more, for a full list check online

DIVERS PORTABLE EMERGENCY OXYGEN RESUSCITATION KIT

CODE: ND0006114

When diving, help is not always close by. Be prepared to respond to an emergency quickly! Northern Diver offers a Portable Emergency Oxygen Resus Kit designed to provide the essentials for emergency aspiration and resuscitation. The RESUS oxygen kit is provided in a purpose-made 23L professional responder rucksack style carry bag for easy transportation to the casualty. It contains a lightweight 200bar oxygen cylinder with a PIN index valve and a selection of oxygen masks. Oxygen can be delivered between 1 and 15 litres per minute. This provides up to half an hour of treatment at the highest flow rate, helping to prevent the casualty deteriorating prior to the arrival of professional medical assistance.

*This item is not for medical use

Features

Safe and simple to use

Fully portable

Lightweight oxygen cylinder with built in regulator Variable flow rates from 1 to 15 litres per minute

Essential lifesaving equipment

A complete self-contained, portable oxygen kit for mobile applications

What's Included?

Oxygen demand valve (ND0003142)

Oxygen regulator (ND0003143)

PIN index oxygen cylinder (ND0003144)

Single use oropharyngeal airways, size 3 (ND0003148) and size 4 (ND0003149)

Single use resuscitation face masks (ND0003150)

High concentrated oxygen therapy mask (ND0003151)

Pocket mask with port (ND0003152)


Adult B.V.M resuscitation system (ND0003153)

23L professional responder rucksack (ND0006154)



INFLATABLE EQUIPMENT RANGE







More than three decades ago, Northern Diver's founder launched the Osprey inflatable brand, crafting innovative designs that set a new standard in quality. Beginning at our Appley Bridge factory, we manufactured over 2,500 inflatable boats in the UK, earning a global reputation for excellence.

Known for our commitment to design and durability, our inflatables became trusted in specialist rescue, commercial, and military applications. Today, this legacy continues with an expansive range catering to leisure, performance, commercial, and lightweight needs. Can't find what you need? We'll work with you to create it!





WHY CHOOSE AN SRE INFLATABLE?

Safe/effective in rescue operations

Rapid-deployment for rescuers

Easy to recover a man overboard

Highly manoeuvrable

Efficient in shallow waters

Fast inflation system

Floor options, removable or light (boats)

Large buoyancy tubes

Safe and stable


Heavy duty and lightweight

Easy to fold and to carry

Transportable by a two men crew

Easy maintenance

Fully equipped to deploy in the field



Inflatable Aluminium Floored Boats


For work on the water


Northern Diver's inflatable boats with aluminium floors are built for durability and performance in demanding rescue operations.


The aluminium floor provides a robust and rigid platform, offering superior stability and strength, even in rough waters. This design is ideal for carrying heavy equipment or multiple passengers, making it perfect for emergency scenarios where reliability is critical. The modular panels allow for easy assembly and disassembly, while the rugged construction ensures long-term durability and resistance to wear. These boats are engineered to deliver exceptional performance, giving rescue teams the confidence to operate in challenging environments.




Photo credits: Staffordshire Fire & Rescue Service and Shoreham By Sea,









	DS320	DS360	DS380
Max. Persons	4+1	5+1	6
Max. Loading	527 kg (1162 lb)	647 kg (1426 lb)	727 kg (1603 lb)
Outer Dimensions	3.2*1.51 m (10'4*5'0)	3.6*1.7 m (11'8*5'6)	3.8*1.7 m (12'5*5'6)
Internal Width	70 cm (27.6")	80 cm (31.5")	
Tube Diameter	42 cm (16.5")	45 cm (17.7")	
Floor Type (aluminium)	4 folding panels	5 folding panels	
Floor Weight	20 kg (44 lb)	22 kg (48.5 lb)	24 kg (53 lb)
Inflatable Only Weight	32 kg (70.5 lb)	36 kg (79 lb)	43 kg (95 lb)
Chambers	3 + 1 (keel)		
Max. Tube Pressure	0.35 bar (5 psi)		
Handles, Lines, Benches	6+2+2		
Recommended Petrol Outboard	15 HP	20 HP	30 HP
Recommended Electric Outboard	11 KW	15 KW	22.4 KW
Colours	Red, Yellow, Orange. Black, Green		
Supplied With	Floating paddles, inflation valve fittings, maintenance kit, storage bag and hand inflation pump		








	DS420	DS460	DS520
Max. Persons	7	7+1	10
Max. Loading	841 kg (1854 lb)	929 kg (2048 lb)	1160 kg (2557 lb)
Outer Dimensions	4.2*1.9 m (13'8*6'2)	4.6*1.9 m (15'0*6'2)	5.2*2.02 m (17'0*6'6)
Internal Width	94 cm	(37")	102 cm (40")
Tube Diameter	48 cm (18.9")		50 cm (19.7")
Floor Type (aluminium)	5 folding panels 6 folding panels		g panels
Floor Weight	30 kg (66 lb)	36 kg (79 lb)	50 kg (110 lb)
Inflatable Only Weight	54 kg (119 lb)	59 kg (130 lb)	70 kg (154 lb)
Chambers	3 + 1 (keel) 5 + 1 (keel)		(keel)
Max. Tube Pressure	0.35 bar (5 psi)		
Handles, Lines, Benches	8+2+2 11+2+2		11 + 2 + 2
Recommended Petrol Outboard	30 HP	50 HP	
Recommended Electric Outboard	22.4 KW	37.8 KW	
Colours	Red, Yellow, Orange. Black, Green		
Supplied With	Floating paddles, inflation valve fittings, maintenance kit, storage bag and hand inflation pump		



Our inflatable boats come equipped with a wide range of functional features, including soft-grip carry handles, double grab handles, oar locks, stainless steel D-rings, a bow handle or towing eye, and at least one durable boat bench. These options ensure maximum utility, safety, and adaptability for any application.

Our inflatable boats can be fully customised with a range of options, including team logos, specialist fittings, and tailored features to suit your specific requirements. This ensures your equipment is perfectly adapted for its intended use, whether for rescue, leisure, or commercial applications.




Inflatable Air Deck Boats

Lightweight and easy to handle and launch

Northern Diver's inflatable boats with air decks combine lightweight convenience with reliable performance, making them an excellent choice for rapid response in rescue operations. The high-pressure inflatable floor, constructed from durable drop-stitch material, provides a rigid and stable surface while remaining easy to assemble and transport. Air deck boats are exceptionally lightweight and compact, allowing for quick deployment and effortless handling in critical situations. Designed for efficiency and versatility, these boats are ideal for rescuers who need a portable yet dependable solution for diverse water conditions.







	DS320	DS360	DS420
Max. Persons	4 + 1	5 + 1	7
Max. Loading	527 kg (1162 lb)	647 kg (1426 lb)	841 kg (1854 lb)
Outer Dimensions	3.2*1.51 m (10'4*5'0)	3.6*1.7 m (11'8*5'6)	4.2*1.9 m (13'8*6'2)
Internal Width	70 cm (27.6")	80 cm (31.5")	94 cm (37")
Tube Diameter	42 cm (16.5")	45 cm (17.7")	48 cm (18.9")
Floor Type (air)	Air filled, drop stitched, 8 cm (3.1") thick		
Floor Weight	12 kg (26 lb)	12 kg (26 lb)	17 kg (37 lb)
Inflatable Only Weight	32 kg (70.5 lb)	36 kg (79 lb)	54 kg (119 lb)
Chambers	3 + 1 (floor) + 1 (keel)		
Max. Tube Pressure	0.35 bar (5 psi)		
Max. Floor Pressure	0.7 bar (10 psi)		
Handles, Lines, Benches	6+2+2 8+2+2		8 + 2 + 2
Recommended Petrol Outboard	15 HP	20 HP	30 HP
Recommended Electric Outboard	11 KW	15 KW	22.4 KW
Colours	Red, Yellow, Orange. Black, Green		
Supplied With	Floating paddles, inflation valve fittings, maintenance kit, storage bag and hand inflation pump		



Photo credits: North Yorkshire Fire & Rescue, Jersey Big Dog Club, Calder Valley and Severn Area Rescue



Inflatable Walkways & Paths - 2m (6'6) to 10m (32'8)

The Inflatable Walkway is a versatile piece of equipment that can be used as a path, platform, pontoon or raft. With two sponsons running underneath to give it excellent stability. As well as water and unstable terrain, it can also be used on ice.

The Inflatable Walkway is available in 2m (6'6), 3m (9'8), 5m (16'4) and 10m (32'8) as standard and custom sizes can be ordered please contact us to discuss your options.

Brand your inflatable or design your own!

Your team crest, slogan or any other artwork can be added to your inflatable. Options are available for logos to be applied direct to the inflatable or produced on a removable badge.

We can also design a bespoke inflatable to your exact specifications (min MoQ will apply), contact the rescue team and set up a meeting.





	2M	3M	5M	10M
Max. Persons	2	3	5	10
Max. Loading	450 kg (992 lb)	675 kg (1488 lb)	1125 kg (2480 lb)	2250 kg (4960 lb)
Outer Dimensions	2*1.2 m (6'6*3'9)	3*1.2 m (9'8*3'9)	5*1.2 m (16'4*3'9)	10*1.2 m (32'8*3'9)
Internal Width	n/a			
Sponson/Pontoon Diameter	30 cm (11.8")			
Floor Type	DWF			
Floor Thickness	15 cm (3.9")			
Inflatable Only Weight	20 kg (44 lb)	25 kg (55 lb)	32 kg (70.5 lb)	75 kg (165 lb)
Chambers	2 (Sponson) + 1 (floor)			
Max. Inlet (Sponsons)	0.7 bar (10 psi)			
Max. Inlet (Floor)	0.7 bar (10 psi)			
SS316 D-Rings	12M + 4L	18M + 4L	22M + 4L	32M + 4L
Handles	4			
Colours	Red, Yellow, Orange. Black, Green			
Supplied With	Inflation valve fittings, maintenance kit, storage bag and hand inflation pump			




Photo credits: 23 Parachute engineer regiment, Vertex Access

INFLATION OPTIONS

Every inflatable boat comes with a hand or foot pump as standard. However, we can provide options to help you inflate quicker for when you need to get on the water fast.







SATURN REG INFLATION KIT

Designed for use with either DIN 300bar or A-Clamp 232bar breathing aparatus cylinders, the Saturn Inflation System is set at 4.0 bar outlet pressure and fitted with a boat inflation hose for use with our range of inflatables. If you've got a need for speed when it comes to inflating your craft, opt to include our tap pressure valves. From 1 cylinder you can fill multiple chambers simultaneously, reducing the time it takes to get out on the water. Available with 1-4 hoses with/without taps.

HP2 INFLATION PUMP

EN 16051
Built-in shockproof pressure gauge
Seal/anti-sand filter
Switch for double/single action
Capacity: 1.8 +1.8L
Dimensions: 12*25*55cm (4.7*9.8*21.7")





12V SPEEDY AIR PUMP WITH CROC CLIPS

High speed fan and high-pressure piston pump Adjustable from 2.2 PSI up to a maximum of 12 PSI Auto stop when your chosen pressure is reached Reliable design to reduce wear Gator clips for quick connection to the car battery All necessary adaptors are included

MAINS POWER SPEEDY AIR PUMP

High-pressure inflator pump 1200W at maximum power Auto stop feature Easily transportable at just 1.9kg (4.18lb) Maximum output flow of 2100L/min Maximum air pressure of 31KPa

SUZUKI 4-STROKE OUTBOARD MOTORS

Reliable. Compact. High Performance.

Suzuki offer powerful, reliable and fuel-efficient boat engines. Every engine across their ranges is specifically designed for marine use. Their user-friendly motors are supported by their 50 years of industry leading innovation.

High performance, lightweight, compact and low on fuel consumption: you really can have it all in one!













Credit: Staffordshire FRS




SINGLE BLADE T-BAR PADDLE

CODE: BOAT-OAR
Strong blade with easy grip handle



DOUBLE BLADE PADDLE

CODE: RESCUE SLED-PADDLE Lightweight aluminium build



FLOATING DOUBLE PADDLE

CODE: RESCUE SLED-PADDLE-KPF-225
Perfect for kayaking and water sports



BUNK-STYLE ROAD TRAILERS FOR INFLATABLES

We'll work with the manufacturers to ensure that we get you the most suitable trailer for your SRE inflatable at the best price possible.

Bunk trailers are adjustable, so your boat gets maximum protection. The trailers are fitted with sealed for life bearings. Fully welded and hot dip galvanised, the trailers we supply conform to current road use regulations.

INFLATABLE ACCESSORIES



PROPELLOR GUARD

CODE: PROP-SIZE-COLOUR

Size: 9" (22cm) 4-20HP, or 11" (27cm) 20-35HP



OUTBOARD BRACKET

CODE: BOAT-OUTBOARD-BRACKET

Fits a 15HP (max) outboard



EVA NON SLIP 3M FLOOR *CODE: N/A*Approx size: 2.4*0.7m (94.4*27.5")



REPAIR PATCHES

CODE: REPAIR PATCHES

3x 50mm (2") and 3x 100mm (3.9")



TRACTION PADSCODE: BOAT-PADS

Size: 25.5*8cm (10*3") antislip EVA foam



3-PRONG D-RING TOW POINTCODE: BOAT-DRING-TOW-3P-COLOUR
Available in various colours




CIRCULAR D-RING TOW POINT
CODE: BOAT-DRING-TOW-C-COLOUR
Available in various colours



RECTANGLE D-RING TOW POINT

CODE: BOAT-DRING-TOW-R-COLOUR

Available in various colours



REFLECTIVE PANELS

CODE: BOAT-REFLECTIVE-COLOUR

SOLAS reflective tape



INFLATION VALVES

CODE: N/A

ND version and Leafield valves available



RELIEF VALVES

CODE: N/A

DWF (small) or pontoon (large valve)



PLASTIC VALVE TOOLS

CODE: N/A

DWF (small) or pontoon (large valve)











Stock suits.

Custom tailoring.

We can help you tailor suits so they better support you in the field. If you need to add different elements to standard suits we provide, just ask. We can change neck, wrists, socks, and boots to suit your requirements. We can add pockets, fly zips, valves, Kevlar® reinforcement in high wear areas to name a few...

Please note: tailoring options are dependent on the type of stock suit you have purchased from us (neoprene, membrane or rubber).

Suit repairs.

With over 60 years of combined experience, our Repair Technicians are some of the best in the business. A dedicated and diligent team, they know how important it is that their work be perfect, every time.

Waiting times can vary dependent on our workload, however turnaround can sometimes be as fast as one day. If you need your repairs for a certain time, please advise our team of this. You can check on current time frames prior to booking suits in.

Repairs department: +44 (0) 1257 25 69 37 Opening times: Mon - Fri 8.30am to 5.00pm

Book it in.

Online repair system.

We now offer a full ONLINE repair and alterations service for our suits, this can include fixing leaks, adding new parts to your suit i.e. socks, seals, pockets or alterations, trade customers registered online will receiv trade pricing!


We've made it easier for you to:

- 1. Book in your suit from anywhere
- 2. Get updates and check on progress at any time
- 3. Accept quotations and easily pay online

All you need to do is log in to your online account to get started with the 8 steps to book your repair, **www.ndiver.com/login**

Not comfortable booking it in online?

Don't worry, all suits that enter our repairs and alteration department now use the online system, once your suit(s) arrive we will book them onto your account for you, all you need to do it log in and view its progress or check the email updates that we send to the address on the account.







Bespoke Drysuits: Precision Fit for Professional Divers

For over 40 years, Northern Diver has been at the forefront of tailored drysuit design, serving commercial divers who demand the best in fit, performance, and durability. If a stock-sized suit doesn't meet your operational needs, we offer a made-to-measure service that guarantees a perfect fit and superior comfort, no matter your environment.

As a commercial diver, your gear is your lifeline. That's why our state-of-the-art computerised cutting system ensures every suit is precision-engineered to your exact measurements. Each suit is designed, planned, and graded digitally before being transferred to our cutting bed. This process ensures a clean, accurate cut, maximising seam integrity for the ultimate in durability and reliability.

Our made-to-measure service doesn't just stop at fit. You can fully customise your suit to meet the demands of your work. Add pockets for essential tools, fly zips for convenience, or even branding for your company or team. From unique configurations to tailored features, we're here to help you create a suit that's as unique as your diving operations.

At Northern Diver, we understand that every dive environment presents its own challenges. That's why we work closely with you to ensure your suit is built to withstand the rigours of your specific tasks, whether it's underwater welding, offshore construction, or search and rescue.

Contact our dedicated team to discuss your made-to-measure options:

Office: +44 (0) 1257 25 44 44 Email: info@ndiver.com

Let us help you dive deeper with confidence and precision.

STATE-OF-THE-ART FACILITIES







CYLINDER SERVICING

Northern Diver's purpose-built automated cylinder test facility is designed to deliver precise, efficient, and high-quality testing services. Equipped with state-of-the-art technology, our facility ensures every cylinder is tested and serviced to the highest standards. Automation enhances accuracy and consistency, while our expert technicians oversee the entire process, guaranteeing compliance with industry regulations. From visual inspections to hydrostatic testing, our advanced setup allows us to handle a wide range of cylinder types for recreational, commercial, and military clients. This dedicated facility reflects our commitment to safety, reliability, and exceptional service for every customer.

We provide comprehensive cylinder testing and servicing carried out by our trained technicians to IDEST standards, ensuring your cylinder is handled with the utmost care and expertise.

Regulations and Testing Requirements:

All cylinders carrying compressed gases, including diving cylinders, must be inspected and tested periodically as per regulations. This applies to cylinders with diving valves, even for surface use, as they could potentially be used for diving.

Visual Test: Required 2.5 years from the date of manufacture (stamped on the cylinder).

Hydrostatic Test: Required every 5 years, alternating with the visual inspection.

This creates an ongoing cycle, meaning your cylinder needs testing every 2.5 years, alternating between visual and hydrostatic tests.

What's Included in Our Service?

Our comprehensive cylinder service includes:


- 1. A Visual Check: Inspecting for tears or damage to regulators and hoses.
- 2. A Pre-Check: Submersion test to detect any leaks.
- 3. A Complete Strip-Down: Inspecting and replacing any worn or damaged parts, followed by ultrasonic cleaning.
- 4. Rebuild and Bench Testing: Ensuring all components function optimally.
- 5. Final Submersion Test: To confirm the cylinder is ready for use.

Fast Turnaround Times:

Our standard turnaround is approximately 2 working days, but we recommend contacting us for the most accurate time frame, during busy periods this could be longer.

Trust Northern Diver for expert servicing and the peace of mind that comes with knowing your equipment is in the safest of hands.





DIVE IN!

At Northern Diver, we understand the importance of precision, safety, and performance in the world of diving. Our state-of-the-art Dive Tank offers the perfect environment for equipment testing, specialised diver training, and hands-on learning.

With cutting-edge features and flexible spaces designed to cater to a wide range of users—whether military, commercial, or recreational—our facility is the ideal place to enhance skills, trial new equipment, and advance diver education. Discover unparalleled opportunities to test, train, and innovate in a fully equipped, controlled setting.

Optimal Training Environment

Ambient temp - ensures comfort for extended sessions. Freshwater filtration - guarantees pristine, clear water. Swim bridge - for easy access and observation.

Enhanced Testing Capabilities

Viewing platform - real-time monitoring and assessment. Underwater lighting - for precision in testing and training. Steel construction - unmatched durability and reliability.

Innovative Lifting Solutions

Lifting eye at the base and hoist above the tank for effortless equipment handling and lift-bag training.








Dedicated classroom for theorybased learning, presentations, and workshops.



Compressor room for air refills. Additional space for customers own compressor equipment.




Modern changing rooms with storage lockers and bathrooms for convenience.




Underwater lighting to enhance visibility during low-light testing.



Lifting eye at the tanks base is ideal for lift-bag courses.



Private entrance offers confidentiality and convenience, ideal for high-profile clients.




Steel hoist can be used for equipment anchoring and emergency diver recovery.














PERSONALISE YOUR KIT

At Northern Diver, we understand that every commercial diving operation has unique demands, and personalising your dive kit can make all the difference in efficiency, safety, and performance. Our tailored solutions include custom branding, specialised fittings, and modifications to suit your specific operational needs. Whether you require reinforced materials for rugged environments, integrated tools for quick access, or personalised sizing for optimal comfort, our team works with you to deliver equipment that meets your exact requirements. With options for adding logos, name tags, or colour coding for team identification, we ensure your dive kit is not only functional but also truly your own. Dive with confidence, knowing your gear is designed and built for you.

































STANDARD LOGO	SIZE
Small Logo	Up to 70*70mm (2.6*2.6")
Medium Logo	Up to 110*110mm (4.3*4.3")
Large Logo	Up to 150*150mm (5.9*5.9")
X-Large Logo	Up to 250*250mm (9.8*9.8")
Custom Size Logo	Over 250*250mm (9.8*9.8")

Maximum logo size is 290*290mm (11.4*11.4"). Any larger logos can be looked at to work out the best method of application, this will need to be discussed with the branding team.

REFLECTIVE LOGO	SIZE
Small Logo	Up to 70*70mm (2.6*2.6")
Medium Logo	Up to 110*110mm (4.3*4.3")
Large Logo	Up to 150*150mm (5.9*5.9")
X-Large Logo	Up to 250*250mm (9.8*9.8")
Custom Size Logo	Over 250*250mm (9.8*9.8")

Reflective text or simple shaped panels can be applied to a range of Northern Diver products. Contact us to discuss your branding needs.

OTHER	SIZE
Inflatable logo panels	Custom to fit



Contact

Neil Tordoff

Phone: +44 (0) 1257 25 69 49 Mobile: +44 (0) 7872 061 533

Email: neil@ndiver.com

Mateusz Domoradzki

Phone: +44 (0) 1257 82 68 53 Mobile: +44 (0) 7538 989 115 Email: mateusz@ndiver.com

Head Office

Northern Diver International Ltd, East Quarry Appley Lane North Appley Bridge Wigan Lancashire WN6 9AE, UK

Visit Us

We are located in Appley Bridge, Lancashire, UK, only 5 minutes from the M6 (J27) motorway. Manchester & Liverpool international airports are only 40 minutes away. Wigan North Western rail station is 2 hours & 3 minutes from London Euston. We are more than happy to collect clients and return them after their visit.

Online

www.ndiver-commercial.com